

FIGURE 1

Vial#	1	2	3	4	Ratio Caspase3/Xiap	std	Ratio peptide/xiap	std
	L-Thiala	D-pCl-Phe	D-OEt-Tyr	D-pCl-Phe			D-OEt-Tyr	
1	L-Thiala	D-pCl-Phe	D-OEt-Tyr	D-Nal	D-pCl-Phe	-NH2	0.9	0.036
2	L-Thiala	D-pCl-Phe	D-OEt-Tyr	D-pNO2-Phe	-NH2	0.9	0.035	1.3
3	L-Thiala	D-pCl-Phe	D-OEt-Tyr	D-Thiala	-NH2	0.9	0.031	0.9
4	L-Thiala	D-pCl-Phe	D-Nal	D-pCl-Phe	-NH2	0.9	0.031	0.60
5	L-Thiala	D-pCl-Phe	D-Nal	D-pNO2-Phe	-NH2	0.9	0.033	0.24
6	L-Thiala	D-pCl-Phe	D-Nal	D-Thiala	-NH2	0.9	0.029	1.3
7	L-Thiala	D-OEt-Tyr	D-OEt-Tyr	D-pCl-Phe	-NH2	0.9	0.024	0.37
8	L-Thiala	D-OEt-Tyr	D-OEt-Tyr	D-pNO2-Phe	-NH2	0.9	0.027	1.4
9	L-Thiala	D-OEt-Tyr	D-OEt-Tyr	D-Thiala	-NH2	0.9	0.032	0.9
10	L-Thiala	D-OEt-Tyr	D-Nal	D-pCl-Phe	-NH2	0.9	0.029	0.7
11	L-Thiala	D-OEt-Tyr	D-Nal	D-pNO2-Phe	-NH2	0.9	0.031	0.9
12	L-Thiala	D-OEt-Tyr	D-Nal	D-Thiala	-NH2	0.9	0.029	0.9
13	L-Thiala	D-Phe	D-OEt-Tyr	D-pCl-Phe	-NH2	0.9	0.028	0.6
14	L-Thiala	D-Phe	D-OEt-Tyr	D-pNO2-Phe	-NH2	0.9	0.028	0.6
15	L-Thiala	D-Phe	D-OEt-Tyr	D-Thiala	-NH2	0.9	0.025	0.6
16	L-Thiala	D-Phe	D-Nal	D-pCl-Phe	-NH2	0.9	0.029	0.8
17	L-Thiala	D-Phe	D-Nal	D-pNO2-Phe	-NH2	0.9	0.032	1.1
18	L-Thiala	D-Phe	D-Nal	D-Thiala	-NH2	0.9	0.029	0.9
19	D-Thiala	D-pCl-Phe	D-OEt-Tyr	D-pCl-Phe	-NH2	0.9	0.031	1.5
20	D-Thiala	D-pCl-Phe	D-OEt-Tyr	D-pNO2-Phe	-NH2	0.8	0.042	1.3
21	D-Thiala	D-pCl-Phe	D-OEt-Tyr	D-Thiala	-NH2	0.9	0.030	0.9
22	D-Thiala	D-pCl-Phe	D-Nal	D-pCl-Phe	-NH2	0.9	0.030	0.10
23	D-Thiala	D-pCl-Phe	D-Nal	D-pNO2-Phe	-NH2	0.9	0.022	1.0
24	D-Thiala	D-pCl-Phe	D-Nal	D-Thiala	-NH2	0.9	0.024	1.3
25	D-Thiala	D-OEt-Tyr	D-OEt-Tyr	D-pCl-Phe	-NH2	1.0	0.028	1.6
26	D-Thiala	D-OEt-Tyr	D-OEt-Tyr	D-pNO2-Phe	-NH2	0.8	0.027	1.1
27	D-Thiala	D-OEt-Tyr	D-OEt-Tyr	D-Thiala	-NH2	0.9	0.037	1.1
28	D-Thiala	D-OEt-Tyr	D-Nal	D-pCl-Phe	-NH2	0.9	0.041	1.1
29	D-Thiala	D-OEt-Tyr	D-Nal	D-pNO2-Phe	-NH2	0.9	0.032	1.1
30	D-Thiala	D-OEt-Tyr	D-Nal	D-Thiala	-NH2	0.9	0.043	1.2
31	D-Thiala	D-Phe	D-OEt-Tyr	D-pCl-Phe	-NH2	0.9	0.038	1.3
32	D-Thiala	D-Phe	D-OEt-Tyr	D-pNO2-Phe	-NH2	1.0	0.036	1.1
33	D-Thiala	D-Phe	D-OEt-Tyr	D-Thiala	-NH2	0.9	0.034	1.0
34	D-Thiala	D-Phe	D-Nal	D-pCl-Phe	-NH2	0.9	0.027	1.0
35	D-Thiala	D-Phe	D-Nal	D-pNO2-Phe	-NH2	0.9	0.029	0.9
36	D-Thiala	D-Phe	D-Nal	D-Thiala	-NH2	0.9	0.032	1.1
37	Phe	D-pCl-Phe	D-OEt-Tyr	D-pCl-Phe	-NH2	0.9	0.042	1.3
38	Phe	D-pCl-Phe	D-OEt-Tyr	D-pNO2-Phe	-NH2	0.9	0.030	0.8
39	Phe	D-pCl-Phe	D-OEt-Tyr	D-Thiala	-NH2	0.9	0.029	0.9
40	Phe	D-pCl-Phe	D-Nal	D-pCl-Phe	-NH2	0.9	0.026	0.13
41	Phe	D-pCl-Phe	D-Nal	D-pNO2-Phe	-NH2	1.0	0.120	0.9
42	Phe	D-pCl-Phe	D-Nal	D-Thiala	-NH2	0.9	0.045	1.0
43	Phe	D-OEt-Tyr	D-OEt-Tyr	D-pCl-Phe	-NH2	1.0	0.098	0.9
44	Phe	D-OEt-Tyr	D-OEt-Tyr	D-pNO2-Phe	-NH2	1.0	0.139	1.0
45	Phe	D-OEt-Tyr	D-OEt-Tyr	D-Thiala	-NH2	1.0	0.114	0.8
46	Phe	D-OEt-Tyr	D-Nal	D-pCl-Phe	-NH2	1.0	0.124	0.9
47	Phe	D-OEt-Tyr	D-Nal	D-pNO2-Phe	-NH2	0.9	0.100	1.0
48	Phe	D-OEt-Tyr	D-Nal	D-Thiala	-NH2	1.0	0.068	1.0
49	Phe	D-Phe	D-OEt-Tyr	D-pCl-Phe	-NH2	1.0	0.057	1.1
50	Phe	D-Phe	D-OEt-Tyr	D-pNO2-Phe	-NH2	0.9	0.106	0.9
51	Phe	D-Phe	D-OEt-Tyr	D-Thiala	-NH2	1.0	0.056	0.9
52	Phe	D-Phe	D-Nal	D-pCl-Phe	-NH2	0.9	0.083	1.0
53	Phe	D-Phe	D-Nal	D-pNO2-Phe	-NH2	0.9	0.080	0.9
54	Phe	D-Phe	D-Nal	D-Thiala	-NH2	1.0	0.127	0.9

TPI #1313 TETRAPEPTIDES




FIGURE 3A




FIGURE 3B




FIGURE 3C




FIGURE 3D







FIGURE 3E




$C_{38}H_{42}ClN_5O_5$
Exact Mass: 683.29




$C_{38}H_{42}N_5O_7$
Exact Mass: 6




$C_{36}H_{41}N_5O_5S$
Exact Mass: 655.28



$C_{40}H_{40}ClN_5O_5$
Exact Mass: 6




$C_{40}H_{40}N_5O_5S$
Exact Mass: 700.30




$C_{38}H_{39}N_5O_4S$
Exact Mass: 6

Define functionalities of most active mixtures of N-Acyl triamine library (TPI 914)




R1




45 Nap-ala

R2




64 L-Trp(CHO)


R3




119 4-Vinylbenzoic Acid




46 Nap-Ala




96 Nap-Ala




135 4-Ethyl-4-Biphenylcarboxylic Acid




47 4-Chloro-phenylalanine




78 D-Trp




110 3,5-Bis(Trifluoromethyl)-phenylacetic Acid




48 4-Fluoro-phenylalanine




95 Nap-ala




139 4-Biphenylcarboxylic Acid




97 4-Chloro-phenylalanine




111 4-Biphenylacetic Acid



81 D-cyclohexylalanine



128 3,5-Bis-(Trifluoromethyl)-benzoic Acid



65 Tyrosine

FIGURE 4

TPI 914 Controls

#	R1	R2	R3	Lowest concentration with Ratio of ~ 2.0
178	L-Leu	D-Trp	CH3	12.5 ug/ml
210	L-Leu	L-Phe	3,5-Bis(Trifluoromethyl)-Phenylacetic Acid	6.25 ug/ml
219	L-Leu	L-Phe	4-Vinylbenzoic Acid	6.25 ug/ml
235	L-Leu	L-Phe	4-Ethyl-4-Biphenylcarboxylic Acid	6.25 ug/ml







FIGURE 5

TPI 927




FIGURE 6

TPI 882





FIGURE 7

TPI 759 N-Benzyl-1,4,5-trisubstituted-2,3-diketopiperazines



Selections	R1	R2	R3	
21	Fmoc-Nle	43	Fmoc-leu	65 4-Isobutyl-alpha-Methylphenylacetic Acid
22	Fmoc-nle	52	Fmoc-NapAla	67 3,5-Bis(Trifluoromethyl)-Phenylacetic Acid
25	Fmoc-NapAla	41	Fmoc-phe	72 Heptanoic Acid
29	Fmoc-chala	31	Fmoc-Phe	60 (Alpha-Alpha-Alpha-Trifluoro-m-Tolyl) acetic acid
28	Fmoc-ChAla	42	Fmoc-ile	87 4-tert-Butyl-cyclohexanecarboxylic Acid
5	Fmoc-Lys(Boc)	33	Fmoc-ile	58 m-Tolylacetic Acid
24	Fmoc-Nva	46	Fmoc-val	66 3,4-Dichlorophenylacetic Acid
23	Fmoc-Nva	34	Fmoc-Leu	89 3,3-Diphenyl propionic Acid
19	Fmoc-val			90 Dicyclohexylacetic acid
				81 Cycloheptanecarboxylic Acid
				80 Cyclohexanecarboxylic Acid
				61 p-Tolylacetic Acid
				80 Cyclohexanecarboxylic Acid





FIGURE 8

TPI 927 controls

Most of the compounds shown below can be considered active at 25 μ g/ml

R3






FIGURE 9

TPI 882 controls


All the compounds below have activity at 8 ug/ml




R1




R2




R3




141 L-cyclohexylalanine




142 D-cyclohexylalanine




144 D-p-chloro-phe



145 D-p-fluoro-phe




146 L-p-fluoro-phe




148 D-2-chloro-phe




149 O-Ethyl-L-Tyr




150 O-Ethyl-D-Tyr




152 O-Methyl-D-Tyr




165 3,5-Diiodo-Tyr(2BrZ)




166 L-Naphthylalanine




173 p-tolylacetic acid




174 4-fluorophenylacetic acid




175 3-Methoxyphenylacetic acid




176 4-Methoxyphenylacetic acid




177 4-Ethoxyphenylacetic acid




179 4-Biphenylacetic acid




183 4-Phenylbutyric acid




185 Heptanoic acid



189 3-Methylvaleric acid




190 4-Methylvaleric acid




220 4-Biphenylacetic acid




233 Cyclohexanecarboxylic acid




234 Cyclohexylacetic acid




235 Cyclohexylbutyric acid



236 Cycloheptanecarboxylic acid



240 3-Cyclopentylpropionic acid



249 3,5-bis-(trifluoromethyl)phenylacetic acid

FIGURE 10

Hexape~1

TPI1239 dose responses (sort)

TPI 1239 All mix are N-terminal free and C-terminal amide

Caspase 3-XIAP

From file 032001-IC50 of selected TPI 1239

Note that Smac is only tested at 1 mM

Caspase effect

	2 ug/ml		1ug/ml		0.5 ug/ml		0.25 ug/ml	
	Avg	std	Avg	std	Avg	std	Avg	std
Caspase 3	1.0	0.0	1.0	0.0	1.0	0.0	1.0	0.0
Xiap+C3	0.4	0.0	0.4	0.0	0.4	0.0	0.4	0.0
SMAC	0.9	0.1	0.9	0.1	0.9	0.1	0.9	0.1
XXXAWW	1.0	0.0	1.1	0.0	1.1	0.0	1.0	0.0
XXXHWW	1.0	0.1	1.1	0.0	1.1	0.0	1.0	0.1
XXXKWW	1.0	0.1	1.0	0.0	1.0	0.0	1.1	0.1
XXXNWW	1.0	0.0	1.0	0.0	1.0	0.0	1.0	0.0
XXXQWW	1.0	0.0	1.0	0.0	1.0	0.0	1.0	0.0
XXXRWW	1.0	0.0	1.0	0.0	1.0	0.0	1.0	0.0
XXXSWW	1.0	0.0	1.0	0.0	1.0	0.0	1.0	0.1
XXXTWW	1.1	0.0	1.1	0.0	1.1	0.0	1.0	0.0
XXXVWW	1.0	0.0	0.9	0.0	1.0	0.1	1.0	0.0
XXXXWW	1.0	0.0	1.1	0.1	1.0	0.0	1.1	0.0

XIAP effect


	2ug/ml		1ug/ml		0.5 ug/ml		0.25 ug/ml	
	Std	Std	Std	Std	Std	Std	Std	Std
Caspase 3	2.2	0.0	2.2	0.0	2.2	0.0	2.2	0.0
Xiap+C3	1.0	0.0	1.0	0.0	1.0	0.0	1.0	0.0
SMAC	2.0	0.1	2.0	0.1	2.0	0.1	2.0	0.1
XXXAWW	2.2	0.0	2.0	0.0	1.7	0.0	1.4	0.0
XXXKWW	2.2	0.1	2.0	0.2	1.6	0.1	1.2	0.1
XXXTWW	2.1	0.0	1.8	0.0	1.6	0.0	1.2	0.1
XXXSWW	2.1	0.2	1.8	0.0	1.4	0.1	1.3	0.3
XXXNWW	1.8	0.2	1.4	0.0	1.2	0.1	1.1	0.1
XXXVWW	1.7	0.0	1.4	0.0	1.2	0.2	1.0	0.1
XXXXWW	1.8	0.1	1.4	0.1	1.1	0.1	1.1	0.3
XXXHWW	1.8	0.1	1.4	0.1	1.1	0.1	1.0	0.1
XXXRWW	1.4	0.1	1.1	0.0	1.1	0.1	0.9	0.1
XXXQWW	1.5	0.0	1.3	0.0	1.1	0.1	0.9	0.1

Analysis:

- No effect on caspase activity, first block of data.
- The most active mixtures from XXXOWW are A, K and T
- The next step of the deconvolution could be a PS-SCL for positions 1,2 and 3, position 4 having A,K,T and positions 5 and 6 as W


Tetra-peptide antagonists of XIAP

792-33



Exact Mass: 898.32793

792-35



Exact Mass: 1067.46153

FIGURE 12





FIGURE 13

TPI 1391

N-Benzyl-1,4,5-trisubstituted-2,3-diketopiperazines



TPI 1396

Polyphenylureas

Diphenyl or Triphenylureas




FIGURE 14A









FIGURE 14B




FIGURE 15




FIGURE 16




FIGURE 17




FIGURE 18




FIGURE 19




FIGURE 20

Title: METHODS AND COMPOSITIONS FOR...

Inventors: Reed et al.

Filed: Herewith

Docket No.: 66821-058

27/123

TP11349 Structures FIGURE 21		MW	Exact Mass	Name	MLogP	HBondAcceptor	HBondDonor	RuleOfFive
1		544.7	544.3	N-[(1S)-2-(1-methyl-1H-indol-3-yl)-1-[(methyl[(1R)-2-(naphthylmethyl)butyl]amino)methyl]butyl]-4-vinylbenzamide	4.3	5	2	2
2		622.9	622.4	4-ethyl-N-[(1S)-2-(1-methyl-1H-indol-3-yl)-1-[(methyl[(1R)-2-(naphthylmethyl)butyl]amino)methyl]butyl]-1,4-biphenyl-4-carboxamide	5.2	5	2	2
3		688.7	688.3	2-[3,5-bis(trifluoromethyl)phenyl]-N-[(1S)-2-(1-methyl-1H-indol-3-yl)-1-[(methyl[(1R)-2-(naphthylmethyl)butyl]amino)methyl]butyl]acetamide	5.6	5	2	2
4		594.8	594.3	N-[(1S)-2-(1-methyl-1H-indol-3-yl)-1-[(methyl[(1R)-2-(naphthylmethyl)butyl]amino)methyl]butyl]-1,4-biphenyl-4-carboxamide	4.9	5	2	2
5		608.8	608.4	2-(1,1'-biphenyl-4-yl)-N-[(1S)-2-(1-methyl-1H-indol-3-yl)-1-[(methyl[(1R)-2-(naphthylmethyl)butyl]amino)methyl]butyl]acetamide	4.8	5	2	2
6		541.7	541.3	N-[(1S)-2-(methyl[(1R)-2-(naphthylmethyl)butyl]amino)-1-2-(naphthylmethyl)butyl]-4-vinylbenzamide	5.6	4	2	2

FIGURE 21A

Title: METHODS AND COMPOSITIONS FOR...

Inventors: Reed et al.

Filed: Herewith

Docket No.: 66821-058

28/123

TP1349	Structures FIGURE 21	MW	Exact Mass	Name	MLogP	HBondAcceptor	HBondDonor	RuleOfFive
7		619.9	619.4	4'-ethyl-N-[1S]-2-[methyl[[(1R)-2-(methylamino)-1-(2-naphthylmethyl)ethyl]1,1'-biphenyl]-4-carboxamide	6.5	4	2	2
8		665.7	665.3	2-[3,5-bis(trifluoromethyl)phenyl]-N-[1S]-2-(methyl[[(1R)-2-(methylamino)-1-(2-naphthylmethyl)ethyl]1,1'-biphenyl]-4-carboxamide	6.9	4	2	2
9		591.8	591.3	N-[1S]-2-[methyl[[(1R)-2-(methylamino)-1-(2-naphthylmethyl)ethyl]1,1'-biphenyl]-4-carboxamide	6.2	4	2	2
10		805.8	805.3	2-[1,1'-biphenyl-4-yl]-N-[1S]-2-[methyl[[(1R)-2-(methylamino)-1-(2-naphthylmethyl)ethyl]1,1'-biphenyl]-4-carboxamide	6.1	4	2	2
11		544.7	544.3	N-[1R]-2-(1-methyl-1H-indol-3-yl)-1-[[(methyl[[(1R)-2-(methylamino)-1-(2-naphthylmethyl)ethyl]1,1'-biphenyl]-4-vinylbenzamide]	4.3	5	2	2
12		822.9	822.4	4'-ethyl-N-[1R]-2-(1-methyl-1H-indol-3-yl)-1-[[(methyl[[(1R)-2-(methylamino)-1-(2-naphthylmethyl)ethyl]1,1'-biphenyl]-4-carboxamide]	5.2	5	2	2

FIGURE 21A (cont..)

Title: METHODS AND COMPOSITIONS FOR...

Inventors: Reed et al.

Filed: Herewith

Docket No.: 66821-058

29/123







TP11349 Structures FIGURE 21		MW	Exact Mass	Name	MLogP	HBondAcceptor	HBondDonor	RuleOfFive
13		668.7	668.3	2-[3,5-bis(trifluoromethyl)phenyl]-N-[(1R)-2-(1-methyl-3-yl)-1-(naphthylmethyl)ethyl]amino]-1-(2-naphthylmethyl)ethyl]acetamide	5.6	5	2	2
14		594.8	594.3	N-[(1R)-2-(1-methyl-4H-indol-3-yl)-1-(naphthylmethyl)ethyl]amino]-1-(2-naphthylmethyl)ethyl]acetamide	4.9	5	2	2
15		608.8	608.4	2-(1'-biphenyl-4-yl)-N-[(1R)-2-(1-methyl-1H-indol-3-yl)-1-(naphthylmethyl)ethyl]amino]-1-(2-naphthylmethyl)ethyl]acetamide	4.8	5	2	2
16		544.7	544.3	N-[(1S)-2-(1-methyl-1H-indol-3-yl)-1-(naphthylmethyl)ethyl]amino]-1-(2-naphthylmethyl)ethyl]acetamide	4.3	5	2	2
17		622.9	622.4	4'-ethynyl-N-[(1S)-2-(1-methyl-1H-indol-3-yl)-1-(naphthylmethyl)ethyl]amino]-1-(2-naphthyl-4-carboxamide	5.2	5	2	2
18		668.7	668.3	2-[3,5-bis(trifluoromethyl)phenyl]-N-[(1S)-2-(1-methyl-1H-indol-3-yl)-1-(naphthylmethyl)ethyl]amino]-1-(2-naphthylmethyl)ethyl]acetamide	5.6	5	2	2

FIGURE 21A (cont.)

Title: METHODS AND COMPOSITIONS FOR...

Inventors: Reed et al.

Filed: Herewith

Docket No.: 66821-058

30/123

TP1349 Structures FIGURE 21	MW	Exact Mass	Name	MLogP	HBondAcceptor	HBondDonor	RuleOfFive
19	594.8	594.3	N-[(1S)-2-(1-methyl-1H-indol-3-yl)-1-[(methylamino)-1-(2-naphthylmethyl)ethyl]amino]-1,1'-biphenyl-4-carboxamide	4.9	5	2	2
[Boc-L-(2-Naphthyl)-alanine][Boc-L-Tryptophan(Formyl)]-Biphenylcarboxylic acid]							
20	608.8	608.4	2-(1,1'-biphenyl-4-yl)-N-[(1S)-2-(1-methyl-1H-indol-3-yl)-1-[(methylamino)-1-(2-naphthylmethyl)ethyl]amino]naphthalen-1-ylacetamide	4.8	5	2	2
[Boc-L-(2-Naphthyl)-alanine][Boc-L-Tryptophan(Formyl)]-4-Biphenylacetic acid]							
21	541.7	541.3	N-[(1S)-2-(methylamino)-1-(2-naphthylmethyl)ethyl]amino-1-(2-naphthylmethyl)ethylacetamide	5.6	4	2	2
[Boc-L-(2-Naphthyl)-alanine][Boc-L-(2-Naphthyl)-alanine]-(4-Vinylbenzoic acid)							
22	619.9	619.4	4'-ethyl-N-[(1S)-2-(methylamino)-1-(2-naphthylmethyl)ethyl]amino-1-(2-naphthylmethyl)ethylacetamide	6.5	4	2	2
[Boc-L-(2-Naphthyl)-alanine][Boc-L-(2-Naphthyl)-alanine]-(4-Et)-4-Biphenylcarboxylic acid]							
23	665.7	665.3	2-[3,5-bis(trifluoromethyl)phenyl]-N-[(1S)-2-(methylamino)-1-(2-naphthylmethyl)ethyl]naphthalen-1-ylacetamide	6.9	4	2	2
[Boc-L-(2-Naphthyl)-alanine][Boc-L-(2-Naphthyl)-alanine]-(3,5-Bis-(trifluoromethyl)-phenylacetic acid)							
24	591.8	591.3	N-[(1S)-2-(methylamino)-1-(2-naphthylmethyl)ethyl]naphthalen-1-ylacetamide	6.2	4	2	2
[Boc-L-(2-Naphthyl)-alanine][Boc-L-(2-Naphthyl)-alanine]-(4-Biphenylcarboxylic acid)							

FIGURE 21A (cont..)

Title: METHODS AND COMPOSITIONS FOR...

Inventors: Reed et al.

Filed: Herewith

Docket No.: 66821-058

31/123







TP1349 Structures FIGURE 21		MW	Exact Mass	Name	MLogP	HBondAcceptor	HBondDonor	RuleOfFive
25		605.8	605.3	2-(1,1'-biphenyl-4-yl)-N-[(1S)-2-(methyl-1-(2-naphthylmethyl)amino)-1-(2-naphthylmethyl)ethyl]acetamide	6.1	4	2	2
26		544.7	544.3	N-[(R)-2-(1-methyl-1H-indol-3-yl)-1-(methyl-1(S)-2-(methylamino)-1-(2-naphthylmethyl)ethyl)amino]ethyl-4-vinylbenzoamide	-4.3	5	2	2
27		622.9	622.4	4'-ethyl-N-[(R)-2-(1-methyl-1H-indol-3-yl)-1-(methyl-1(S)-2-(naphthylmethyl)ethyl)amino]methyl-1,1'-biphenyl-4-carboxamide	5.2	5	2	2
28		688.7	688.3	2-(3,5-bis(4-fluoromethyl)phenyl)-N-[(R)-2-(1-methyl-1H-indol-3-yl)-1-(methyl-1(S)-2-(methylamino)-1-(2-naphthylmethyl)ethyl)amino]methylacetamide	5.6	5	2	2
29		594.8	594.3	N-[(R)-2-(1-methyl-1H-indol-3-yl)-1-(2-naphthylmethyl)ethyl]anino-1,1'-biphenyl-4-carboxamide	4.9	5	2	2
30		608.6	608.4	2-(1,1'-biphenyl-4-yl)-N-[(1R)-2-(1-methyl-1H-indol-3-yl)-1-(methyl-1(S)-2-(methylamino)-1-(2-naphthylmethyl)ethyl)amino]ethylacetamide	4.8	5	2	2
TP1349 Structures								

FIGURE 21A (cont.)

Title: METHODS AND COMPOSITIONS FOR...

Inventors: Reed et al.

Filed: Herewith

Docket No.: 66821-058

32/123

TP1349	Structures: FIGURE 21	NW	Exact Mass	Name	MLogP	HBondAcceptor	HBondDonor	RuleOfFive
31		372.6	372.3	N-[(1R)-2-(1-methyl-1H-indol-3-yl)-1-[(methyl[(1S)-3-methyl-1-[(methylamino)methyl]butyl]amino)methyl]ethyl]acetamide	2.0	5	2	0
	(Boc-L-Leucine)(Boc-D-Tyrosophenyl)Acetic acid							
TP1349	Structures							
32		531.6	531.3	N-[(1S)-1-benzy-2-(methyl[(1S)-3-methyl-1-[(methylamino)methyl]butyl]amino)ethyl]-2-[3,5-bis(4-fluorophenyl)phenyl]acetamide	5.5	4	2	2
	(Boc-L-Leucine)(Boc-L-Phenylalanine)(3,5-Bis-(4-fluorophenyl)-2-vinylbenzoic acid)							
33		407.6	407.3	N-[(1S)-1-benzy-2-(methyl[(1S)-3-methyl-1-[(methylamino)methyl]butyl]amino)ethyl]-4-vinylbenzamide	4.1	4	2	0
	(Boc-L-Leucine)(Boc-L-Phenylalanine)(4-Vinylbenzoic acid)							
34		485.7	485.3	N-[(1S)-1-benzy-2-(methyl[(1S)-3-methyl-1-[(methylamino)methyl]butyl]amino)ethyl]-4-ethyl-1,1-biphenyl-4-carboxamide	5.1	4	2	1
	(Boc-L-Leucine)(Boc-L-Phenylalanine)(4-Ethyl-4-Biphenylcarboxylic acid)							

FIGURE 21A (cont.)

TPI 1349




Figure 21B

Title: METHODS AND COMPOSITIONS FOR...

Inventors: Reed et al.

Filed: Herewith

Docket No.: 66821-058

34/123





FIGURE 21C



100 µg/ml 10, 2003

FIGURE 21D

Title: METHODS AND COMPOSITIONS FOR...

Inventors: Reed et al.

Filed: Herewith

Docket No.: 66821-058

36/123

TP11396	CHEMISTRY FIGURE 22	MW	Exact Mass	Name	MLogP	HBondAcceptor	HBondDonor	RuleOfFive
1		1003.3	1002.5	N-((SR)-d-((anilinocarbonyl)amino)-S-((anilinocarbonyl)(2S)-6-((anilinocarbonyl)(2-4-methoxyphenyl)ethyl)amino)-2-((anilinocarbonyl)(methyl)amino)hexyl)amino]hexyl-N-methyl-N'-phenylurea	4.2	16	8	4
2		1031.4	1030.8	N-[2-(1-adamantyl)ethyl]-N-((SS)-d-((anilinocarbonyl)((1R)-1-((anilinocarbonyl)amino)methyl)-5-((anilinocarbonyl)(methyl)amino)pentyl)amino)-S-((anilinocarbonyl)(methyl)amino)hexyl]-N'-phenylurea	5.1	15	8	4
3		1007.3	1006.8	N-((SR)-d-((anilinocarbonyl)amino)-S-((anilinocarbonyl)(2S)-6-((anilinocarbonyl)(4-cyclohexylbutyl)amino)-2-((anilinocarbonyl)(methyl)amino)hexyl)amino]hexyl)-N-methyl-N'-phenylurea	4.8	15	8	4
4		855.1	854.5	N-((SR)-d-((anilinocarbonyl)amino)-S-((anilinocarbonyl)(2S)-2-((anilinocarbonyl)(2-4-methoxyphenyl)ethyl)amino)hexyl)amino]hexyl)-N-methyl-N'-phenylurea	4.5	13	5	3
5		883.2	882.6	N-[2-(1-adamantyl)ethyl]-N-((1S)-1-((((anilinocarbonyl)((1R)-1-((anilinocarbonyl)amino)methyl)-5-((anilinocarbonyl)(methyl)amino)pentyl)amino)methyl)pentyl]-N'-phenylurea	5.5	12	5	3
6		859.2	858.6	N-((SR)-d-((anilinocarbonyl)amino)-S-((anilinocarbonyl)(2S)-2-((anilinocarbonyl)(4-cyclohexylbutyl)amino)hexyl)amino)hexyl)-N-methyl-N'-phenylurea	5.2	12	5	3
7		889.1	888.5	N-((SR)-d-((anilinocarbonyl)amino)-S-((anilinocarbonyl)(2R)-2-((anilinocarbonyl)(2-4-methoxyphenyl)ethyl)amino)-3-phenylpropyl)amino)hexyl)-N-methyl-N'-phenylurea	4.8	13	5	3
8		917.2	916.5	N-[2-(1-adamantyl)ethyl]-N-((1R)-2-((anilinocarbonyl)((1R)-1-((anilinocarbonyl)amino)methyl)-S-((anilinocarbonyl)(methyl)amino)pentyl)amino)-1-benzylethyl]-N'-phenylurea	5.8	12	5	3

FIGURE 22A

Title: METHODS AND COMPOSITIONS FOR...

Inventors: Reed et al.

Filed: Herewith

Docket No.: 66821-058

37/123









TP11396	CHEMISTRY FIGURE 22	MW	Exact Mass	Name	MLogP	HBondAcceptor	HBondDonor	RuleOffive
9		893.2	892.5	N-((5R)-6-((anilinocarbonyl)amino)-5-((anilinocarbonyl)((2R)-2-((anilinocarbonyl)amino)(4-cyclohexylbutyl)amino)-3-phenylpropyl)amino)hexyl-N-methyl-N'-phenylurea	5.5	12	5	3
10		719.9	719.4	N-((5R)-6-((anilinocarbonyl)amino)-5-((anilinocarbonyl)((2S)-1-(2-(4-methoxyphenyl)ethyl)pyrrolidin-2-yl)methyl)amino)hexyl-N-methyl-N'-phenylurea	3.7	11	4	2
11		748.0	747.5	N-((2S)-1-(2-(1-adamantyl)ethyl)pyrrolidin-2-yl)methyl-N-((anilinocarbonyl)(methyl)amino)pentyl-N'-phenylurea	4.9	10	4	2
12		724.0	723.5	N-((5R)-6-((anilinocarbonyl)amino)-5-((anilinocarbonyl)((2S)-1-(4-cyclohexylbutyl)pyrrolidin-2-yl)methyl)amino)hexyl-N-methyl-N'-phenylurea	4.6	10	4	2
13		939.2	938.5	N-((1S)-2-((anilinocarbonyl)amino)-1-(2-naphthylmethyl)ethyl)-N-((2S)-6-((anilinocarbonyl)(2-(4-methoxyphenyl)ethyl)amino)-2-((anilinocarbonyl)(methyl)amino)hexyl)-N'-phenylurea	5.2	13	5	3
14		967.3	966.6	N-((2-(1-adamantyl)ethyl)-N-((5S)-6-((anilinocarbonyl)((1S)-2-((anilinocarbonyl)amino)-1-(2-naphthylmethyl)ethyl)amino)-5-((anilinocarbonyl)(methyl)amino)hexyl)-N'-phenylurea	6.2	12	5	3
15		943.2	942.6	N-((1S)-2-((anilinocarbonyl)amino)-1-(2-naphthylmethyl)ethyl)-N-((2S)-4-((anilinocarbonyl)(4-cyclohexylbutyl)amino)-2-((anilinocarbonyl)(methyl)amino)hexyl)-N'-phenylurea	5.9	12	5	3
16		791.0	790.4	N-((1S)-2-((anilinocarbonyl)amino)-1-(2-naphthylmethyl)ethyl)-N-((2S)-2-((anilinocarbonyl)(2-(4-methoxyphenyl)ethyl)amino)hexyl)-N'-phenylurea	5.6	10	4	2

FIGURE 22A (cont.)

Title: METHODS AND COMPOSITIONS FOR...

Inventors: Reed et al.

Filed: Herewith

Docket No.: 66821-058

38/123









TP11398	CHEMISTRY FIGURE 22	MW	Exact Mass	Name	MLocP	HBondAcceptor	HBondDonor	RuleOfFive
17	 [Boc-L-3-(2-Naphthyl)-Alanine][Boc-L-Norleucine][1-Adamantanecacetic acid]	819.1	818.5	N-(2-(1-adamantyl)ethyl)-N-((1S)-1-[(anilinocarbonyl)(1S)-2-(anilinocarbonyl)amino]-1-(2-naphthylmethyl)ethyl)amino]methyl]pentyl-N-phenylurea	6.3	9	4	2
18	 [Boc-L-3-(2-Naphthyl)-Alanine][Boc-L-Norleucine][Cyclohexanecarboxylic acid]	795.1	794.5	N-((1S)-2-[(anilinocarbonyl)amino]-1-(2-naphthylmethyl)ethyl)-N-((2S)-2-[(anilinocarbonyl)(4-cyclohexylbutyl)amino]hexyl)-N-phenylurea	6.0	9	4	2
19	 [Boc-L-3-(2-Naphthyl)-Alanine][Boc-D-Phenylalanine][4-Methoxyphenylacetic acid]	825.0	824.4	N-((1S)-2-[(anilinocarbonyl)amino]-1-(2-naphthylmethyl)ethyl)-N-((2S)-2-[(anilinocarbonyl)(2-(4-methoxyphenyl)ethyl)amino]-3-phenylpropyl)-N-phenylurea	5.9	10	4	2
20	 [Boc-L-3-(2-Naphthyl)-Alanine][Boc-D-Phenylalanine][1-Adamantanecacetic acid]	853.1	852.5	N-[2-(1-adamantyl)ethyl]-N-((1S)-2-[(anilinocarbonyl)(1S)-2-[(anilinocarbonyl)amino]-1-(2-naphthylmethyl)ethyl]amino)-1-benzylethyl]N-phenylurea	6.5	9	4	2
21	 [Boc-L-3-(2-Naphthyl)-Alanine][Boc-D-Phenylalanine][Cyclohexanecarboxylic acid]	829.1	828.5	N-((1S)-2-[(anilinocarbonyl)amino]-1-(2-naphthylmethyl)ethyl)-N-((2S)-2-[(anilinocarbonyl)(4-cyclohexylbutyl)amino]-3-phenylpropyl)-N-phenylurea	6.3	9	4	2
22	 [Boc-L-3-(2-Naphthyl)-Alanine][Boc-L-Proline][4-Methoxyphenylacetic acid]	855.8	855.4	N-((1S)-2-[(anilinocarbonyl)amino]-1-(2-naphthylmethyl)ethyl)-N-((2S)-1-(2-(4-methoxyphenyl)ethyl)pyrrolidin-2-yl)methyl)-N-phenylurea	4.6	8	3	2
23	 [Boc-L-3-(2-Naphthyl)-Alanine][Boc-L-Proline][1-Adamantanecacetic acid]	883.9	883.4	N-((2S)-1-(2-(1-adamantyl)ethyl)pyrrolidin-2-yl)methyl)-N-((1S)-2-[(anilinocarbonyl)amino]-1-(2-naphthylmethyl)ethyl)-N-phenylurea	5.8	7	3	2
24	 [Boc-L-3-(2-Naphthyl)-Alanine][Boc-L-Proline][Cyclohexanecarboxylic acid]	859.9	859.4	N-((1S)-2-[(anilinocarbonyl)amino]-1-(2-naphthylmethyl)ethyl)-N-((2S)-1-(4-cyclohexylbutyl)pyrrolidin-2-yl)methyl)-N-phenylurea	5.4	7	3	2

FIGURE 22A (cont.)









TP11396	CHEMISTRY FIGURE 22	MW	Exact Mass	Name	MLogP	HBondAcceptor	HBondDonor	RuleOfFive
25		595.2	594.5	N-[(1R)-2-[(anilinocarbonyl)amino]-1-(cyclohexylmethyl)ethyl]-N-(2S)-4-[(anilinocarbonyl)2-(4-methoxyphenyl)ethyl]amino-2-[(anilinocarbonyl)(methyl)amino]hexyl-N'-phenylurea	4.6	13	5	3
26		923.3	922.6	N-[2-(1-adamantyl)ethyl]-N-[(5S)-6-[(anilinocarbonyl)(1R)-2-[(anilinocarbonyl)amino]-1-(cyclohexylmethyl)ethyl]amino]-5-[(anilinocarbonyl)(methyl)amino]hexyl-N'-phenylurea	5.0	12	5	3
27		899.2	898.6	N-[(1R)-2-[(anilinocarbonyl)amino]-1-(cyclohexylmethyl)ethyl]-N-(2S)-4-[(anilinocarbonyl)4-cyclohexylbutyl]amino-2-[(anilinocarbonyl)(methyl)amino]hexyl-N'-phenylurea	5.7	12	5	3
28		747.0	746.5	N-[(1R)-2-[(anilinocarbonyl)amino]-1-(cyclohexylmethyl)ethyl]-N-(2S)-2-[(anilinocarbonyl)2-(4-methoxyphenyl)ethyl]amino]hexyl-N'-phenylurea	4.9	10	4	2
29		775.1	774.5	N-[2-(1-adamantyl)ethyl]-N-[(1S)-1-[(anilinocarbonyl)(1R)-2-[(anilinocarbonyl)amino]-1-(cyclohexylmethyl)ethyl]amino]pentyl-N'-phenylurea	6.1	9	4	2
30		751.1	750.5	N-[(1R)-2-[(anilinocarbonyl)amino]-1-(cyclohexylmethyl)ethyl]-N-(2S)-4-[(anilinocarbonyl)4-cyclohexylbutyl]amino]hexyl-N'-phenylurea	5.8	9	4	2
31		781.0	780.4	N-[(1R)-2-[(anilinocarbonyl)amino]-1-(cyclohexylmethyl)ethyl]-N-(2R)-2-[(anilinocarbonyl)2-(4-methoxyphenyl)ethyl]amino]3-phenylpropyl-N'-phenylurea	5.2	10	4	2
32		809.1	808.5	N-[2-(1-adamantyl)ethyl]-N-[(1R)-2-[(anilinocarbonyl)(1R)-2-[(anilinocarbonyl)amino]-1-(cyclohexylmethyl)ethyl]amino]-1-benzylethyl-N'-phenylurea	5.4	9	4	2

FIGURE 22A (cont.)









TP11398	CHEMISTRY FIGURE 22	MW	Exact Mass	Name	MLogP	HBondAcceptor	HBondDonor	RuleOffive
33	 [Boc-D-Cyclohexylalanine][Boc-D-Phenylalanine][Cyclohexanebutyric acid]	785.1	784.5	N-((1R)-2-((anilinocarbonyl)amino)-1-(cyclohexylmethyl)ethyl)-N-((2R)-2-((anilinocarbonyl)(4-cyclohexylbutyl)amino)-3-phenylpropyl)-N'-phenylurea	6.0	9	4	2
34	 [Boc-D-Cyclohexylalanine][Boc-L-Proline][4-Methoxyphenylacetic acid]	611.8	611.4	N-((1R)-2-((anilinocarbonyl)amino)-1-(cyclohexylmethyl)ethyl)-N-((2S)-1-(2-(4-methoxyphenyl)ethyl)pyrrolidin-2-yl)methyl)-N'-phenylurea	4.3	8	3	2
35	 [Boc-D-Cyclohexylalanine][Boc-L-Proline][1-Adamantanecarboxylic acid]	639.9	639.5	N-((2S)-1-{2-(1-adamantyl)ethyl}pyrrolidin-2-yl)methyl)-N-((1R)-2-((anilinocarbonyl)amino)-1-(cyclohexylmethyl)ethyl)-N'-phenylurea	5.5	7	3	2
36	 [Boc-D-Cyclohexylalanine][Boc-L-Proline][Cyclohexanebutyric acid]	615.9	615.5	N-((1R)-2-((anilinocarbonyl)amino)-1-(cyclohexylmethyl)ethyl)-N-((2S)-1-(4-cyclohexylbutyl)pyrrolidin-2-yl)methyl)-N'-phenylurea	5.1	7	3	2
CHEMISTRY								
37	 [Boc-L-Phenylalanine][Boc-L-Phenylalanine][1-Phenyl-1-Cyclopropane carboxylic acid]	771.0	770.4	N-((1S)-2-((anilinocarbonyl)amino)-1-benzylethyl)-N-((2S)-2-((anilinocarbonyl)(1-phenylcyclopropyl)methyl)amino)-3-phenylpropyl)-N'-phenylurea	5.7	9	4	2
38	 [Boc-L-Phenylalanine][Boc-L-Phenylalanine][p-Tolylacetic acid]	759.0	758.4	N-((1S)-2-((anilinocarbonyl)amino)-1-benzylethyl)-N-((2S)-2-((anilinocarbonyl)(2-(4-methoxyphenyl)ethyl)amino)-3-phenylpropyl)-N'-phenylurea	5.9	9	4	2
39	 [Boc-L-Phenylalanine][Boc-L-Phenylalanine][3-Methoxyphenylacetic acid]	775.0	774.4	N-((1S)-2-((anilinocarbonyl)amino)-1-benzylethyl)-N-((2S)-2-((anilinocarbonyl)(2-(3-methoxyphenyl)ethyl)amino)-3-phenylpropyl)-N'-phenylurea	5.4	10	4	2
40	 [Boc-L-Phenylalanine][Boc-L-Phenylalanine][4-Methoxyphenylacetic acid]	775.0	774.4	N-((1S)-2-((anilinocarbonyl)amino)-1-benzylethyl)-N-((2S)-2-((anilinocarbonyl)(2-(4-methoxyphenyl)ethyl)amino)-3-phenylpropyl)-N'-phenylurea	5.4	10	4	2

FIGURE 22A (cont.)

Title: METHODS AND COMPOSITIONS FOR...

Inventors: Reed et al.

Filed: Herewith

Docket No.: 66821-058

41/123

TP1396	CHEMISTRY FIGURE 22	MW	Exact Mass	Name	MLocP	HBondAcceptor	HBondDonor	RuleOfFive
41		789.0	788.6	N-(1S)-2-[(anilinocarbonyl)amino]-1-benzylethyl-N-((2S)-2-[(anilinocarbonyl)(2-(4-thioxophenyl)ethyl)amino]-3-phenylpropyl)-N-phenylurea	5.6	10	4	2
	(Boc-L-Phenylalanine)(Boc-L-Phenylalanine)(4-Ethoxyphenylacetic acid)							
42		744.9	744.4	N-(1S)-2-[(anilinocarbonyl)amino]-1-benzylethyl-N-((2S)-2-[(anilinocarbonyl)(2-phenylethyl)amino]-3-phenylpropyl)-N-phenylurea	5.7	9	4	2
	(Boc-L-Phenylalanine)(Boc-L-Phenylalanine)(Phenylacetic acid)							
43		759.0	758.4	N-(1S)-2-[(anilinocarbonyl)amino]-1-benzylethyl-N-((2S)-2-[(anilinocarbonyl)(3-phenylpropyl)amino]-3-phenylpropyl)-N-phenylurea	5.9	9	4	2
	(Boc-L-Phenylalanine)(Boc-L-Phenylalanine)(Hydrocinnamic acid)							
44		696.9	696.4	N-(1S)-2-[(anilinocarbonyl)amino]-1-benzylethyl-N-((2S)-2-[(anilinocarbonyl)(butyl)amino]-3-phenylpropyl)-N-phenylurea	5.3	9	4	2
	(Boc-L-Phenylalanine)(Boc-L-Phenylalanine)(Butyric acid)							
45		739.0	738.4	N-(1S)-2-[(anilinocarbonyl)amino]-1-benzylethyl-N-((2S)-2-[(anilinocarbonyl)(heptyl)amino]-3-phenylpropyl)-N-phenylurea	5.8	9	4	2
	(Boc-L-Phenylalanine)(Boc-L-Phenylalanine)(Heptanoic acid)							
46		696.9	696.4	N-(1S)-2-[(anilinocarbonyl)amino]-1-benzylethyl-N-((2S)-2-[(anilinocarbonyl)(isobutyl)amino]-3-phenylpropyl)-N-phenylurea	5.3	9	4	2
	(Boc-L-Phenylalanine)(Boc-L-Phenylalanine)(Isobutyric acid)							
47		724.9	724.4	N-(1S)-2-[(anilinocarbonyl)amino]-1-benzylethyl-N-((2S)-2-[(anilinocarbonyl)(4-methylpentyl)amino]-3-phenylpropyl)-N-phenylurea	5.6	9	4	2
	(Boc-L-Phenylalanine)(Boc-L-Phenylalanine)(4-Methylvaleric acid)							
48		710.9	710.4	N-(1S)-2-[(anilinocarbonyl)amino]-1-benzylethyl-N-((2S)-2-[(anilinocarbonyl)(neopentyl)amino]-3-phenylpropyl)-N-phenylurea	5.4	9	4	2
	(Boc-L-Phenylalanine)(Boc-L-Phenylalanine)(Trimethylacetic acid)							

FIGURE 22A (cont.)

Title: METHODS AND COMPOSITIONS FOR...

Inventors: Reed et al.

Filed: Herewith

Docket No.: 66821-058

42/123

TP1396	CHEMISTRY FIGURE 22	MW	Exact Mass	Name	MLocP	HBondAcceptor	HBondDonor	RuleOFive
49		724.9	724.4	N-((1S)-2-((anilinocarbonyl)amino)-1-benzylethyl)-N-((2S)-2-((anilinocarbonyl)(3,3-dimethylbutyl)amino)-3-phenylpropyl)-N'-phenylurea	5.6	9	4	2
50		737.0	736.4	N-((1S)-2-((anilinocarbonyl)amino)-1-benzylethyl)-N-((2S)-2-((anilinocarbonyl)(cyclohexylmethyl)amino)-3-phenylpropyl)-N'-phenylurea	5.4	9	4	2
51		751.0	750.4	N-((1S)-2-((anilinocarbonyl)amino)-1-benzylethyl)-N-((2S)-2-((anilinocarbonyl)(2-cyclohexylethyl)amino)-3-phenylpropyl)-N'-phenylurea	5.5	9	4	2
52		779.0	778.5	N-((1S)-2-((anilinocarbonyl)amino)-1-benzylethyl)-N-((2S)-2-((anilinocarbonyl)(4-cyclohexylbutyl)amino)-3-phenylpropyl)-N'-phenylurea	5.8	9	4	2
53		751.0	750.4	N-((1S)-2-((anilinocarbonyl)amino)-1-benzylethyl)-N-((2S)-2-((anilinocarbonyl)(cycloheptylmethyl)amino)-3-phenylpropyl)-N'-phenylurea	5.5	9	4	2
54		668.5	668.3	N-((1S)-2-((anilinocarbonyl)amino)-1-benzylethyl)-N-((2S)-2-((anilinocarbonyl)(ethyl)amino)-3-phenylpropyl)-N'-phenylurea	4.9	9	4	2
55		708.9	708.4	N-((1S)-2-((anilinocarbonyl)amino)-1-benzylethyl)-N-((2S)-2-((anilinocarbonyl)(cyclobutylmethyl)amino)-3-phenylpropyl)-N'-phenylurea	5.0	9	4	2
56		722.9	722.4	N-((1S)-2-((anilinocarbonyl)amino)-1-benzylethyl)-N-((2S)-2-((anilinocarbonyl)(cyclopentylmethyl)amino)-3-phenylpropyl)-N'-phenylurea	5.2	9	4	2

FIGURE 22A (cont.)

Title: METHODS AND COMPOSITIONS FOR...

Inventors: Reed et al.

Filed: Herewith

Docket No.: 66821-058

43/123

TP11396	CHEMISTRY FIGURE 22	MW	Exact Mass	Name	MLoop	HBondAcceptor	HBondDonor	RuleOfFive
57		765.0	764.4	N-((1S)-2-((anilinocarbonyl)amino)-1-benzylethyl)-N-((2S)-2-((anilinocarbonyl)(3-cyclohexylpropyl)amino)-3-phenylpropyl)-N'-phenylurea	5.7	9	4	2
58		751.0	750.4	N-((1S)-2-((anilinocarbonyl)amino)-1-benzylethyl)-N-((2S)-2-((anilinocarbonyl)(4-methylcyclohexyl)methyl)amino)-3-phenylpropyl)-N'-phenylurea	5.5	9	4	2
59		793.1	792.5	N-((1S)-2-((anilinocarbonyl)amino)-1-benzylethyl)-N-((2S)-2-((anilinocarbonyl)(4-tert-butylcyclohexyl)methyl)amino)-3-phenylpropyl)-N'-phenylurea	6.0	9	4	2
60		803.1	802.5	N-[2-(1-adamantyl)ethyl]-N-((1S)-2-((anilinocarbonyl)(1S)-2-((anilinocarbonyl)amino)-1-benzylethyl)amino)-1-benzylethyl)-N'-phenylurea	6.2	9	4	2
61		835.1	834.4	N-((1S)-2-((anilinocarbonyl)amino)-1-benzylethyl)-N-((2S)-2-((anilinocarbonyl)(3,3-diphenylpropyl)amino)-3-phenylpropyl)-N'-phenylurea	6.6	9	4	2
62		737.0	736.4	N-((1S)-2-((anilinocarbonyl)amino)-1-benzylethyl)-N-((2S)-2-((anilinocarbonyl)(2-cyclopentylpropyl)amino)-3-phenylpropyl)-N'-phenylurea	5.4	9	4	2
63		784.0	783.4	N-((1S)-2-((anilinocarbonyl)amino)-1-benzylethyl)-N-((2S)-2-((anilinocarbonyl)(2-(1H-indol-3-yl)ethyl)amino)-3-phenylpropyl)-N'-phenylurea	4.8	10	5	2
64		849.0	848.4	N-((1S)-2-((anilinocarbonyl)amino)-1-benzylethyl)-N-((2S)-2-((anilinocarbonyl)(3-(3,4,5-trimethoxyphenyl)propyl)amino)-3-phenylpropyl)-N'-phenylurea	4.5	12	4	3

FIGURE 22A (cont.)

Title: METHODS AND COMPOSITIONS FOR...

Inventors: Reed et al.

Filed: Herewith

Docket No.: 66821-058

44/123



TPI1396	CHEMISTRY FIGURE 22	MW	Exact Mass	Name	MLogP	HBondAcceptor	HBondDonor	RuleOfFive
85	 <p>Boc-L-Phenylalanine2-Norbornaneacetic acid]</p>	783.0	782.4	N-((1S)-2-((anilinocarbonyl)amino)-1-benzyloxyethyl)-N-((2S)-2-((anilinocarbonyl)(2-bicyclo[2.2.1]hept-2-yl)amino)-3-phenylpropyl)-N-phenylurea	5.7	9	4	2

FIGURE 22A (cont.)

TPI 1396: 1-36



Screening @ 25 µg/ml

■ XIAP ▨ Caspase 3

FIGURE 22B

TPI 1396: 37-65





FIGURE 22C

Selected TPI 1396

TPI 1396	Caspase 3-XIAP BIR2 IC-50 (μ M)	Caspase 3-XIAP- BIR2 IC-50 (μ M)			
		AVG	STD	AVG	STD
11	32.1	3.8	7.9	0.3	
12	53.0	8.3	14.4	1.1	
22	45.3	3.3	9.5	2.2	
28	>134		134.1	0.3	
34	77.1	11.0	13.6	0.9	

FIGURE 22D



50 μ g/ml-Data 02,2003

FIGURE 22E




FIGURE 22F




FIGURE 22G

Title: METHODS AND COMPOSITIONS FOR...

Inventors: Reed et al.

Filed: Herewith

Docket No.: 66821-058

51/123

TPI1391	Structures FIGURE 23A	MW	Exact Mass	Name	MLnD ²	HBindDonor	HBindDonor	RuleOfFive
1		533.8	533.4	(SR)-1-((1S)-1-((benzylamino)methyl)pentyl)-5-isobutyl-4-(2-(4-isobutylphenyl)propyl)piperazine-2,3-dione	4.8	5	1	2
	[(Fmoc-L-Norleucine)(Fmoc-D-Leucine)(4-isobutyl-alpha-Methoxyacetic Acid)]							
2		599.7	599.3	(SR)-1-((1S)-1-((benzylamino)methyl)pentyl)-4-(2-(3,5-bis(trifluoromethyl)phenyl)ethyl)-5-isobutylpiperazine-2,3-dione	5.4	5	1	2
	Accord For Excel - New Chemistry							
3		457.7	457.4	(SR)-1-((1S)-1-((benzylamino)methyl)pentyl)-4-heptyl-5-isobutylpiperazine-2,3-dione	3.7	5	1	0
	[(Fmoc-L-Norleucine)(Fmoc-D-Leucine)(Heptanoic acid)]							
4		531.7	531.3	(SR)-1-((1S)-1-((benzylamino)methyl)pentyl)-4-(2-(3-(trifluoromethyl)phenyl)ethyl)-5-isobutylpiperazine-2,3-dione	4.4	5	1	2
	[(Fmoc-L-Norleucine)(Fmoc-D-Leucine)([Alpha]-Alpha-Alpha-Alpha-m-Tolyl) acetic acid]							
5		511.8	511.4	(SR)-1-((1S)-1-((benzylamino)methyl)pentyl)-4-(4-tert-butylcyclohexyl)methyl-5-isobutylpiperazine-2,3-dione	4.5	5	1	2
	[(Fmoc-L-Norleucine)(Fmoc-D-Leucine)(4-tert-Butylcyclohexanecarboxylic acid)]							
6		477.7	477.3	(SR)-1-((1S)-1-((benzylamino)methyl)pentyl)-4-(2-(3-methylphenyl)ethyl)piperazine-2,3-dione	3.9	5	1	0
	[(Fmoc-L-Norleucine)(Fmoc-D-Leucine)(m-Tolylacetic acid)]							
7		617.9	617.4	(SS)-1-((1S)-1-((benzylamino)methyl)pentyl)-4-(2-(4-isobutylphenyl)propyl)-5-(2-naphthylmethyl)piperazine-2,3-dione	5.4	5	1	2
	[(Fmoc-L-Norleucine)(Fmoc-L-2-Naphthylalanine)(4-isobutyl-alpha-Methoxyacetic Acid)]							
8		663.7	663.3	(SS)-1-((1S)-1-((benzylamino)methyl)pentyl)-4-(2-(3,5-bis(trifluoromethyl)phenyl)methyl)-5-(2-naphthylmethyl)piperazine-2,3-dione	6.2	5	1	2
	[(Fmoc-L-Norleucine)(Fmoc-L-2-Naphthylalanine)(3,5-Bis (Trifluoromethyl)-Phenylacetic Acid)]							
9		541.8	541.4	(SS)-1-((1S)-1-((benzylamino)methyl)pentyl)-4-heptyl-5-(2-naphthylmethyl)piperazine-2,3-dione	4.6	5	1	2
	[(Fmoc-L-Norleucine)(Fmoc-L-2-Naphthylalanine)(Heptanoic acid)]							

FIGURE 23A

Title: METHODS AND COMPOSITIONS FOR...

Inventors: Reed et al.

Filed: Herewith

Docket No.: 66821-058

52/123

TP1391	Structures FIGURE 23A	MW	Exact Mass	Name	MLogP	HBondDonor	HBondAcceptor	RuleOffive
10		615.7	615.3	(S,S)-1-((1S)-1-((benzylamino)methyl)pentyl)-5-(2-naphthylmethyl)-4-(2-(trifluoromethyl)phenyl)methyl)piperazine-2,3-dione	5.3	5	1	2
	[Fmoc-L-Norleucine][Fmoc-L-2-Naphthylisostidine][(Alpha-Alpha-Alpha-Trifluoro-m-Tolyl) aceto acid]							
11		595.9	595.4	(S,S)-1-((1S)-1-((benzylamino)methyl)pentyl)-4-(4-tert-butylcyclohexyl)methyl)-5-(2-naphthylmethyl)piperazine-2,3-dione	5.3	5	1	2
	[Fmoc-L-Norleucine][Fmoc-L-2-Naphthylisostidine][4-tert-Butyl-cyclohexanecarboxylic acid]							
12		581.8	581.3	(S,S)-1-((1S)-1-((benzylamino)methyl)pentyl)-4-(2-(3-methylphenyl)ethyl)-5-(2-naphthylmethyl)piperazine-2,3-dione	4.7	5	1	2
	[Fmoc-L-Norleucine][Fmoc-L-2-Naphthylisostidine][m-Tolylacetic acid]							
13		533.8	533.4	(S,R)-1-((1R)-1-((benzylamino)methyl)pentyl)-5-isobutyl-4-(2-(4-isobutylphenyl)propyl)piperazine-2,3-dione	4.6	5	1	2
	[Fmoc-D-Norleucine][Fmoc-D-Leucine][4-isobutyl-Alpha-Methylphenylacetic Acid]							
14		599.7	599.3	(S,R)-1-((1R)-1-((benzylamino)methyl)pentyl)-4-(2-(3,5-bis(trifluoromethyl)phenyl)ethyl)-5-isobutyl)piperazine-2,3-dione	5.4	5	1	2
	[Fmoc-D-Norleucine][Fmoc-D-Leucine][3,5-Bis (Trifluoromethyl)-Phenylacetic Acid]							
15		457.7	457.4	(S,R)-1-((1R)-1-((benzylamino)methyl)pentyl)-4-heptyl-5-isobutyl)piperazine-2,3-dione	3.7	5	1	0
	[Fmoc-D-Norleucine][Fmoc-D-Leucine][Heptanoic acid]							
16		531.7	531.3	(S,R)-1-((1R)-1-((benzylamino)methyl)pentyl)-5-isobutyl-4-(2-(3-(trifluoromethyl)phenyl)ethyl)piperazine-2,3-dione	4.4	5	1	2
	[Fmoc-D-Norleucine][Fmoc-D-Leucine][(Alpha-Alpha-Alpha-Trifluoro-m-Tolyl) aceto acid]							
17		511.8	511.4	(S,R)-1-((1R)-1-((benzylamino)methyl)pentyl)-4-(4-tert-butylcyclohexyl)methyl-5-isobutyl)piperazine-2,3-dione	4.5	5	1	2
	[Fmoc-D-Norleucine][Fmoc-D-Leucine][4-tert-Butyl-cyclohexanecarboxylic acid]							
18		477.7	477.3	(S,R)-1-((1R)-1-((benzylamino)methyl)pentyl)-5-isobutyl-4-(2-(3-methylphenyl)ethyl)piperazine-2,3-dione	3.9	5	1	0
	[Fmoc-D-Norleucine][Fmoc-D-Leucine][m-Tolylacetic acid]							

FIGURE 23A (cont.)

Title: METHODS AND COMPOSITIONS FOR...

Inventors: Reed et al.

Filed: Herewith

Docket No.: 66821-058

53/123

TP11391	Structures FIGURE 23A	MW	Exact Mass	Name	MLocP	HBondDonor	HBondAcceptor	RuleOffNuc
19		617.9	617.4	(S,S)-1-((1R)-1-(benzylamino)methyl)pentyl-4-(2-(4-isobutylphenyl)propyl)-5-(2-naphthylmethyl)piperazine-2,3-dione	5.4	5	1	2
20		633.7	633.3	(S,S)-1-((1R)-1-(benzylamino)methyl)pentyl-4-(2-(3,5-bis(trifluoromethyl)phenyl)ethyl)-5-(2-naphthylmethyl)piperazine-2,3-dione	6.2	5	1	2
21		541.8	541.4	(S,S)-1-((1R)-1-(benzylamino)methyl)pentyl-4-heptyl-5-(2-naphthylmethyl)piperazine-2,3-dione	4.6	5	1	2
22		615.7	615.3	(S,S)-1-((1R)-1-(benzylamino)methyl)pentyl-3-(2-naphthylmethyl)-4-(2-(3,5-bis(trifluoromethyl)phenyl)ethyl)piperazine-2,3-dione	5.3	5	1	2
23		595.9	595.4	(S,S)-1-((1R)-1-(benzylamino)methyl)pentyl-4-(4-tert-butylcyclohexyl)methyl-5-(2-naphthylmethyl)piperazine-2,3-dione	5.3	5	1	2
24		561.8	561.3	(S,S)-1-((1R)-1-(benzylamino)methyl)pentyl-4-(2-(3-methylphenyl)ethyl)-5-(2-naphthylmethyl)piperazine-2,3-dione	4.7	5	1	2
25		617.9	617.4	(S,R)-1-((1S)-2-(benzylamino)-1-(2-naphthylmethyl)ethyl)-5-isobutyl-4-(2-(4-isobutylphenyl)propyl)piperazine-2,3-dione	5.4	5	1	2
26		633.7	633.3	(S,R)-1-((1S)-2-(benzylamino)-1-(2-naphthylmethyl)ethyl)-4-(2-(3,5-bis(trifluoromethyl)phenyl)ethyl)-5-isobutylpiperazine-2,3-dione	6.2	5	1	2
27		541.8	541.4	(S,R)-1-((1S)-2-(benzylamino)-1-(2-naphthylmethyl)ethyl)-4-heptyl-5-isobutylpiperazine-2,3-dione	4.6	5	1	2

FIGURE 23A (cont.)

Title: METHODS AND COMPOSITIONS FOR...

Inventors: Reed et al.

Filed: Herewith

Docket No.: 66821-058

54/123

TP11301 Structures FIGURE 23A	MW	Exact Mass	Name	MLogP	HBondDonor	HBondAcceptor	RuleOfFive
28 	515.7	515.3	(S)-1-((1S)-2-(benzylamino)-1-(2-naphthylmethyl)ethyl)-5-isobutyl-4-(2-(trifluoromethyl)phenyl)ethyl)piperazine-2,3-dione	5.3	5	1	2
29 	595.9	595.4	(S)-1-((1S)-2-(benzylamino)-1-(2-naphthylmethyl)ethyl)-4-(4-tert-butylcyclohexyl)methyl-5-isobutylpiperazine-2,3-dione	5.3	5	1	2
30 	561.8	561.3	(S)-1-((1S)-2-(benzylamino)-1-(2-naphthylmethyl)ethyl)-5-isobutyl-4-(2-(3-methylphenyl)ethyl)piperazine-2,3-dione	4.7	5	1	2
31 	702.0	701.4	(S)-1-((1S)-2-(benzylamino)-1-(2-naphthylmethyl)ethyl)-4-(2-(4-isobutylphenyl)propyl)-5-(2-naphthylmethyl)piperazine-2,3-dione	6.2	5	1	2
32 	767.8	767.3	(S)-1-((1S)-2-(benzylamino)-1-(2-naphthylmethyl)ethyl)-4-(2-(3,5-bis(trifluoromethyl)phenyl)ethyl)-5-(2-naphthylmethyl)piperazine-2,3-dione	7.0	5	1	2
33 	625.9	625.4	(S)-1-((1S)-2-(benzylamino)-1-(2-naphthylmethyl)ethyl)-4-heptyl-5-(2-naphthylmethyl)piperazine-2,3-dione	5.4	5	1	2
34 	659.8	659.3	(S)-1-((1S)-2-(benzylamino)-1-(2-naphthylmethyl)ethyl)-4-(2-(3-(trifluoromethyl)phenyl)ethyl)-5-(2-naphthylmethyl)piperazine-2,3-dione	6.1	5	1	2
35 	679.9	679.4	(S)-1-((1S)-2-(benzylamino)-1-(2-naphthylmethyl)ethyl)-4-(4-tert-butylcyclohexyl)methyl-5-(2-naphthylmethyl)piperazine-2,3-dione	6.1	5	1	2
36 	645.8	645.3	(S)-1-((1S)-2-(benzylamino)-1-(2-naphthylmethyl)ethyl)-4-(2-(3-methylphenyl)ethyl)-5-(2-naphthylmethyl)piperazine-2,3-dione	5.6	5	1	2

FIGURE 23A (cont.)

TPI 1391 1-36




FIGURE 23B

TPI 1391 1-36




FIGURE 23C

Selected TPI 1391

TPI 1391	Caspase 3-XIAP	
	AVG	STD
1	29.6	2.9
4	28.0	2.1
5	29.9	2.5
7	>162	
17	57.3	16.1
21	33.6	0.7
25	29.0	2.8
28	25.1	5.9
34	39.4	0.5
35	32.6	1.2

FIGURE 23D




FIGURE 23E




FIGURE 23F

Title: METHODS AND COMPOSITIONS FOR...

Inventors: Reed et al.

Filed: Herewith

Docket No.: 66821-058

60/123









		MW	Exact Mass	Name	MLogP	HBondAcceptor	HBondDonor	RuleOfFive
1		606.9	606.4	N-(3-((2S,5S)-1-(2-(1,1'-biphenyl-4-yl)ethyl)-5-(cyclohexylmethyl)-2,3,5,6-tetrahydro-1H-imidazo[1,2-a]imidazol-2-yl)propyl)-2-(4-ethoxyphenyl)acetamide	5.6	6	1	2
2		530.8	530.4	N-(3-((2S,5S)-5-(cyclohexylmethyl)-1-(2-phenylethyl)-2,3,5,6-tetrahydro-1H-imidazo[1,2-a]imidazol-2-yl)propyl)-2-(4-ethoxyphenyl)acetamide	4.7	6	1	2
3		558.8	558.4	N-(3-((2S,5S)-5-(cyclohexylmethyl)-1-(4-phenylbutyl)-2,3,5,6-tetrahydro-1H-imidazo[1,2-a]imidazol-2-yl)propyl)-2-(4-ethoxyphenyl)acetamide	5.1	6	1	2
4		524.8	524.4	N-(3-((2S,5S)-5-(cyclohexylmethyl)-1-heptyl-2,3,5,6-tetrahydro-1H-imidazo[1,2-a]imidazol-2-yl)propyl)-2-(4-ethoxyphenyl)acetamide	4.8	6	1	2
5		522.8	522.4	N-(3-((2S,5S)-1,5-bis(cyclohexylmethyl)-2,3,5,6-tetrahydro-1H-imidazo[1,2-a]imidazol-2-yl)propyl)-2-(4-ethoxyphenyl)acetamide	4.8	6	1	2
6		578.9	578.5	N-(3-((2S,5S)-1-(4-tert-butylcyclohexyl)methyl)-5-(cyclohexylmethyl)-2,3,5,6-tetrahydro-1H-imidazo[1,2-a]imidazol-2-yl)propyl)-2-(4-ethoxyphenyl)acetamide	5.5	6	1	2
7		588.9	588.4	N-(3-((2S,5S)-1-(2-(1-adamantyl)ethyl)-5-(cyclohexylmethyl)-2,3,5,6-tetrahydro-1H-imidazo[1,2-a]imidazol-2-yl)propyl)-2-(4-ethoxyphenyl)acetamide	5.7	6	1	2
8		606.9	606.4	N-(3-((2S,5R)-1-(2-(1,1'-biphenyl-4-yl)ethyl)-5-(cyclohexylmethyl)-2,3,5,6-tetrahydro-1H-imidazo[1,2-a]imidazol-2-yl)propyl)-2-(4-ethoxyphenyl)acetamide	5.6	6	1	2

FIGURE 24A

Title: METHODS AND COMPOSITIONS FOR...

Inventors: Reed et al.

Filed: Herewith

Docket No.: 66821-058

61/123









TP1400	Structures FIGURE 24A	MW	Exact Mass	Name	MLock	HBondAccceptor	HBondDonor	RuleOfFive
9		530.8	530.4	N-(3-((2S,5R)-5-(cyclohexylmethyl)-1-(4-phenylbutyl)-2,3,5,6-tetrahydro-1H-imidazo[1,2-a]imidazol-2-yl)propyl)-2-(4-ethoxyphenyl)acetamide	4.7	6	1	2
10		558.8	558.4	N-(3-((2S,5R)-5-(cyclohexylmethyl)-1-(4-phenylbutyl)-2,3,5,6-tetrahydro-1H-imidazo[1,2-a]imidazol-2-yl)propyl)-2-(4-ethoxyphenyl)acetamide	5.1	6	1	2
11		524.8	524.4	N-(3-((2S,5R)-5-(cyclohexylmethyl)-1-heptyl-2,3,5,6-tetrahydro-1H-imidazo[1,2-a]imidazol-2-yl)propyl)-2-(4-ethoxyphenyl)acetamide	4.8	6	1	2
12		522.8	522.4	N-(3-((2S,5R)-1,5-bis(cyclohexylmethyl)-2,3,5,6-tetrahydro-1H-imidazo[1,2-a]imidazol-2-yl)propyl)-2-(4-ethoxyphenyl)acetamide	4.8	6	1	2
13		578.9	578.5	N-(3-((2S,5R)-1-((4-tert-butylcyclohexyl)methyl)-5-(cyclohexylmethyl)-2,3,5,6-tetrahydro-1H-imidazo[1,2-a]imidazol-2-yl)propyl)-2-(4-ethoxyphenyl)acetamide	5.5	6	1	2
14		588.9	588.4	N-(3-((2S,5R)-1-{2-(1-adamantyl)ethyl}-5-(cyclohexylmethyl)-2,3,5,6-tetrahydro-1H-imidazo[1,2-a]imidazol-2-yl)propyl)-2-(4-ethoxyphenyl)acetamide	5.7	6	1	2
15		650.9	650.4	N-(3-((2S,5S)-1-{2-(1'-biphenyl-4-yl)ethyl}-5-(2-naphthylmethyl)-2,3,5,6-tetrahydro-1H-imidazo[1,2-a]imidazol-2-yl)propyl)-2-(4-ethoxyphenyl)acetamide	5.9	6	1	2
16		574.8	574.3	2-(4-ethoxyphenyl)-N-(3-((2S,5S)-5-(2-naphthylmethyl)-1-(2-naphthyl)-2,3,5,6-tetrahydro-1H-imidazo[1,2-a]imidazol-2-yl)propyl)acetamide	5.1	6	1	2

FIGURE 24A (cont.)

TP1400 Structures FIGURE 24A		MW	Exact Mass	Name	MLocP	HBondAcceptor	HBondDonor	RuleOfFive
17		602.8	602.4	2-(4-ethoxyphenyl)-N-[3-((2S,5S)-5-(2-naphthylmethyl)-1-(4-phenylbutyl)-2,3,5,8-tetrahydro-1H-imidazo[1,2-a]imidazol-2-yl)propyl]acetamide	5.4	6	1	2
18		568.8	568.4	2-(4-ethoxyphenyl)-N-[3-((2S,5S)-1-heptyl-5-(2-naphthylmethyl)-2,3,5,8-tetrahydro-1H-imidazo[1,2-a]imidazol-2-yl)propyl]acetamide	5.1	6	1	2
19		568.8	568.4	N-[3-((2S,5S)-1-(cyclohexylmethyl)-5-(2-naphthylmethyl)-2,3,5,8-tetrahydro-1H-imidazo[1,2-a]imidazol-2-yl)propyl]-2-(4-ethoxyphenyl)acetamide	5.1	6	1	2
20		622.9	622.4	N-[3-((2S,5S)-1-((4-tert-butylcyclohexyl)methyl)-5-(2-naphthylmethyl)-2,3,5,8-tetrahydro-1H-imidazo[1,2-a]imidazol-2-yl)propyl]-2-(4-ethoxyphenyl)acetamide	5.8	6	1	2
21		632.9	632.4	N-[3-((2S,5S)-1-2-(1-adamantyl)ethyl)-5-(2-naphthylmethyl)-2,3,5,8-tetrahydro-1H-imidazo[1,2-a]imidazol-2-yl)propyl]-2-(4-ethoxyphenyl)acetamide	6.0	6	1	2
22		650.9	650.4	N-[3-((2S,5R)-1-2-(1,1-biphenyl-4-yl)ethyl)-5-(2-naphthylmethyl)-2,3,5,8-tetrahydro-1H-imidazo[1,2-a]imidazol-2-yl)propyl]-2-(4-ethoxyphenyl)acetamide	5.9	6	1	2
23		574.8	574.3	2-(4-ethoxyphenyl)-N-[3-((2S,5R)-5-(2-naphthylmethyl)-1-(2-phenylethyl)-2,3,5,8-tetrahydro-1H-imidazo[1,2-a]imidazol-2-yl)propyl]acetamide	5.1	6	1	2
24		602.8	602.4	2-(4-ethoxyphenyl)-N-[3-((2S,5R)-5-(2-naphthylmethyl)-1-(4-phenylbutyl)-2,3,5,8-tetrahydro-1H-imidazo[1,2-a]imidazol-2-yl)propyl]acetamide	5.4	6	1	2

FIGURE 24A (cont.)









TPI1400	Structures FIGURE 24A	MW	Exact Mass	Name	MLocP	HBondAcceptor	HBondDonor	RuleOfFive
25		568.8	568.4	2-(4-ethoxophenyl)-N-[3-((2S,5R)-1-heptyl-5-(2-naphthylmethyl)-2,3,5,6-tetrahydro-1H-imidazo[1,2-a]imidazol-2-yl)propyl]acetamide	5.1	6	1	2
26		568.8	568.4	N-[3-((2S,5R)-1-(cyclohexylmethyl)-5-(2-naphthylmethyl)-2,3,5,6-tetrahydro-1H-imidazo[1,2-a]imidazol-2-yl)propyl]-2-(4-ethoxophenyl)acetamide	5.1	6	1	2
27		622.9	622.4	N-[3-((2S,5R)-1-(4-tert-butylcyclohexyl)methyl)-5-(2-naphthylmethyl)-2,3,5,6-tetrahydro-1H-imidazo[1,2-a]imidazol-2-yl]propyl]-2-(4-ethoxophenyl)acetamide	5.8	6	1	2
28		632.9	632.4	N-[3-((2S,5R)-1-(2-1-adamantyl)ethyl)-5-(2-naphthylmethyl)-2,3,5,6-tetrahydro-1H-imidazo[1,2-a]imidazol-2-yl]propyl]-2-(4-ethoxophenyl)acetamide	8.0	6	1	2
Structures								
29		486.7	486.3	N-[3-((2S,5S)-5-(cyclohexylmethyl)-1-(2-phenylethyl)-2,3,5,6-tetrahydro-1H-imidazo[1,2-a]imidazol-2-yl)propyl]-2-phenylacetamide	4.9	5	1	1
30		486.7	486.3	N-[3-((2S,5R)-5-(cyclohexylmethyl)-1-(2-phenylethyl)-2,3,5,6-tetrahydro-1H-imidazo[1,2-a]imidazol-2-yl)propyl]-2-phenylacetamide	4.9	5	1	1
31		515.1	514.2	N-[3-((2S,5R)-5-(4-chlorobenzyl)-1-(2-phenylethyl)-2,3,5,6-tetrahydro-1H-imidazo[1,2-a]imidazol-2-yl)propyl]-2-phenylacetamide	5.1	5	1	2
32		498.6	498.3	N-[3-((2S,5R)-5-(4-fluorobenzyl)-1-(2-phenylethyl)-2,3,5,6-tetrahydro-1H-imidazo[1,2-a]imidazol-2-yl)propyl]-2-phenylacetamide	5.0	5	1	1

FIGURE 24A (cont.)

Title: METHODS AND COMPOSITIONS FOR...

Inventors: Reed et al.

Filed: Herewith

Docket No.: 66821-058

64/123









TP1400	Structures FIGURE 24A	MW	Exact Mass	Name	MLgap	HBondAcceptor	HBondDonor	RuleOfFive
33		498.5	498.3	N-[3-((2S,5S)-5-(4-fluorobenzyl)-1-(2-phenylethyl)-2,3,5,6-tetrahydro-1H-imidazo[1,2-a]imidazol-2-yl)propyl]-2-phenylacetamide	5.0	5	1	1
34		515.1	514.2	N-[3-((2S,5R)-5-(2-chlorobenzyl)-1-(2-phenylethyl)-2,3,5,6-tetrahydro-1H-imidazo[1,2-a]imidazol-2-yl)propyl]-2-phenylacetamide	5.1	5	1	2
35		524.7	524.3	N-[3-((2S,5S)-5-(4-ethoxybenzyl)-1-(2-phenylethyl)-2,3,5,6-tetrahydro-1H-imidazo[1,2-a]imidazol-2-yl)propyl]-2-phenylacetamide	4.5	6	1	2
36		524.7	524.3	N-[3-((2S,5R)-5-(4-ethoxybenzyl)-1-(2-phenylethyl)-2,3,5,6-tetrahydro-1H-imidazo[1,2-a]imidazol-2-yl)propyl]-2-phenylacetamide	4.5	6	1	2
37		510.7	510.3	N-[3-((2S,5R)-5-(4-methoxybenzyl)-1-(2-phenylethyl)-2,3,5,6-tetrahydro-1H-imidazo[1,2-a]imidazol-2-yl)propyl]-2-phenylacetamide	4.3	6	1	2
38		748.4	748.1	N-[3-((2S,5S)-5-(4-hydroxy-3,5-diodobenzyl)-1-(2-phenylethyl)-2,3,5,6-tetrahydro-1H-imidazo[1,2-a]imidazol-2-yl)propyl]-2-phenylacetamide	5.4	6	2	2
39		530.7	530.3	N-[3-((2S,5S)-5-(2-naphthylmethyl)-1-(2-phenylethyl)-2,3,5,6-tetrahydro-1H-imidazo[1,2-a]imidazol-2-yl)propyl]-2-phenylacetamide	5.2	5	1	2
40		530.7	530.3	N-[3-((2S,5R)-5-(2-naphthylmethyl)-1-(2-phenylethyl)-2,3,5,6-tetrahydro-1H-imidazo[1,2-a]imidazol-2-yl)propyl]-2-phenylacetamide	5.2	5	1	2

FIGURE 24A (cont.)

Title: METHODS AND COMPOSITIONS FOR...

Inventors: Reed et al.

Filed: Herewith

Docket No.: 66821-058

65/123









TPI1400	Structures FIGURE 24A	MW	Exact Mass	Name	MLagP	HBondAcceptor	HBondDonor	RuleO/Fw
41	 [Boc-L-4-(4-biphenyl)-alanine][Phenylacetic acid][Phenylacetic acid]	556.8	556.3	N-(3-((2S,5S)-5-(1,1'-biphenyl-4-yl)methyl)-1-(2-phenylethyl)-2,3,5,6-tetrahydro-1H-imidazo[1,2-a]imidazo[2,1-b]propyl)-2-phenylacetamide	5.5	5	1	2
Structures								
42	 [Boc-L-Phenylalanine][p-Tolylacetic acid][Phenylacetic acid]	494.7	494.3	N-(3-((2S,5S)-5-benzyl-1-(2-(4-methylphenyl)ethyl)-2,3,5,6-tetrahydro-1H-imidazo[1,2-a]imidazo[2,1-b]propyl)-2-phenylacetamide	4.8	5	1	1
Structures								
43	 [Boc-L-Phenylalanine][4-Fluorophenylacetic acid][Phenylacetic acid]	498.6	498.3	N-(3-((2S,5S)-5-benzyl-1-(2-(4-fluorophenyl)ethyl)-2,3,5,6-tetrahydro-1H-imidazo[1,2-a]imidazo[2,1-b]propyl)-2-phenylacetamide	5.0	5	1	1
Structures								
44	 [Boc-L-Phenylalanine][3-Methoxyphenylacetic acid][Phenylacetic acid]	510.7	510.3	N-(3-((2S,5S)-5-benzyl-1-(2-(3-methoxyphenyl)ethyl)-2,3,5,6-tetrahydro-1H-imidazo[1,2-a]imidazo[2,1-b]propyl)-2-phenylacetamide	4.3	6	1	2
Structures								
45	 [Boc-L-Phenylalanine][4-Methoxyphenylacetic acid][Phenylacetic acid]	510.7	510.3	N-(3-((2S,5S)-5-benzyl-1-(2-(4-methoxyphenyl)ethyl)-2,3,5,6-tetrahydro-1H-imidazo[1,2-a]imidazo[2,1-b]propyl)-2-phenylacetamide	4.3	6	1	2
Structures								
46	 [Boc-L-Phenylalanine][4-Ethoxyphenylacetic acid][Phenylacetic acid]	524.7	524.3	N-(3-((2S,5S)-5-benzyl-1-(2-(4-ethoxyphenyl)ethyl)-2,3,5,6-tetrahydro-1H-imidazo[1,2-a]imidazo[2,1-b]propyl)-2-phenylacetamide	4.5	6	1	2
Structures								
47	 [Boc-L-Phenylalanine][4-Biphenylacetic acid][Phenylacetic acid]	556.8	556.3	N-(3-((2S,5S)-5-benzyl-1-(2-(1,1'-biphenyl-4-yl)ethyl)-2,3,5,6-tetrahydro-1H-imidazo[1,2-a]imidazo[2,1-b]propyl)-2-phenylacetamide	5.5	5	1	2
Structures								
48	 [Boc-L-Phenylalanine][4-Phenylbutyric acid][Phenylacetic acid]	508.7	508.3	N-(3-((2S,5S)-5-benzyl-1-(4-phenylbutyl)-2,3,5,6-tetrahydro-1H-imidazo[1,2-a]imidazo[2,1-b]propyl)-2-phenylacetamide	5.0	5	1	2
Structures								

FIGURE 24A (cont.)

Title: METHODS AND COMPOSITIONS FOR...

Inventors: Reed et al.

Filed: Herewith

Docket No.: 66821-058

66/123

TP11400 Structures FIGURE 24A		MW	Exact Mass	Name	MLogP	HBondAcceptor	HBondDonor	RuleOfFive
49		474.7	474.3	N-(3-((2S,5S)-5-benzy-1-heptyl-2,3,5,6-tetrahydro-1H-imidazol[1,2-a]imidazol-2-yl)propyl)-2-phenylacetamide	4.7	5	1	1
50		480.7	480.3	N-(3-((2S,5S)-5-benzy-1-(3-methylpentyl)-2,3,5,6-tetrahydro-1H-imidazol[1,2-a]imidazol-2-yl)propyl)-2-phenylacetamide	4.5	5	1	1
51		480.7	480.3	N-(3-((2S,5S)-5-benzy-1-(4-methylpentyl)-2,3,5,6-tetrahydro-1H-imidazol[1,2-a]imidazol-2-yl)propyl)-2-phenylacetamide	4.5	5	1	1
Structures								
52		558.8	558.3	N-(3-((2S,5S)-5-benzy-1-(2-phenylethyl)-2,3,5,6-tetrahydro-1H-imidazol[1,2-a]imidazol-2-yl)propyl)-2-(1,1'-biphenyl-4-yl)acetamide	5.5	5	1	2
53		472.7	472.3	N-(3-((2S,5S)-5-benzy-1-(2-phenylethyl)-2,3,5,6-tetrahydro-1H-imidazol[1,2-a]imidazol-2-yl)propyl)cyclohexanecarboxamide	4.7	5	1	1
54		486.7	486.3	N-(3-((2S,5S)-5-benzy-1-(2-phenylethyl)-2,3,5,6-tetrahydro-1H-imidazol[1,2-a]imidazol-2-yl)propyl)cyclohexaneacetic acid	4.9	5	1	1
55		514.8	514.4	N-(3-((2S,5S)-5-benzy-1-(2-phenylethyl)-2,3,5,6-tetrahydro-1H-imidazol[1,2-a]imidazol-2-yl)propyl)cyclohexylbutanamide	5.2	5	1	2
56		488.7	488.3	N-(3-((2S,5S)-5-benzy-1-(2-phenylethyl)-2,3,5,6-tetrahydro-1H-imidazol[1,2-a]imidazol-2-yl)propyl)cycloheptanecarboxylic acid	4.9	5	1	1

FIGURE 24A (cont.)

Title: METHODS AND COMPOSITIONS FOR...

Inventors: Reed et al.

Filed: Herewith

Docket No.: 66821-058

67/123

TP11400	Structures FIGURE 24A		MW	Exact Mass	Name	MLogP	HBondAcceptor	HBondDonor	RuleOfFive
57			486.7	486.3	N-(3-((2S,5S)-5-benzy-1-(2-phenylethyl)-2,3,5,6-tetrahydro-1H-imidazo[1,2-a]imidazol-2-yl)propyl)-3-cyclopentylpropanamide	4.9	5	1	1
	[Boc-L-Phenylalanine]Phenylacetic acid][3-Cyclopentylpropanoic acid]								
58			616.6	616.3	N-(3-((2S,5S)-5-benzy-1-(2-phenylethyl)-2,3,5,6-tetrahydro-1H-imidazo[1,2-a]imidazol-2-yl)propyl)-2-[3,5-bis(trifluoromethyl)phenyl]acetamide	6.4	5	1	2
	[Boc-L-Phenylalanine]Phenylacetic acid][3,5-bis-(Trifluoromethyl)-phenylacetic acid]								

FIGURE 24A (cont.)




FIGURE 24B




FIGURE 24C

TPI 1400 29-58




FIGURE 24D




FIGURE 24E

Selected TPI 1400

TPI 1400-	Caspase 3-XIAP	
	AVG	STD
6	26.6	4.6
7	40.2	8.7
14	31.2	6.8
13	157.2	
33	>200	
37	157.6	
43	169.5	
44	120.2	

FIGURE 24F





FIGURE 24G



100 μ g/ml 10, 2003

FIGURE 24H




FIGURE 25




FIGURE 26




FIGURE 27




FIGURE 28




FIGURE 29




FIGURE 30

DU145




FIGURE 31A

PPC1




FIGURE 31B




FIGURE 31C




FIGURE 31D




FIGURE 32




FIGURE 33

Title: METHODS AND COMPOSITIONS FOR...

Inventors: Reed et al.

Filed: Herewith

Docket No.: 66821-058

87/123

ID	Name	MW	Structure	Relative trypsin 3 activity	
				IC ₅₀ 25 uM	IC ₅₀ 1 uM
TPI 1509-1	N-[(1S)-6-[(anilinocarbonyl)amino]-5-[(anilinocarbonyl)((2R)-1-[2-(4-methoxyphenyl)ethyl]pyrrolidin-2-yl)methyl]amino]hexyl-N'-methyl-N'-phenylurea	719.3		2.2	3.25
TPI 1509-2	N-[(1S)-1-[2-(1-adamantyl)ethyl]pyrrolidin-2-yl]methyl)-N-[(1R)-1-[(anilinocarbonyl)amino]methyl]-5-[(anilinocarbonyl)(methyl)amino]pentyl-N'-phenylurea	748.0		2.3	12.5
TPI 1509-3	N-[(1S)-6-[(anilinocarbonyl)amino]-5-[(anilinocarbonyl)((2R)-1-[4-cyclohexylbutyl]pyrrolidin-2-yl)methyl]amino]hexyl-N'-methyl-N'-phenylurea	724.0		2.4	12.5
TPI 1509-4	N-[(1S)-2-[(anilinocarbonyl)amino]-1-(2-naphthylmethyl)ethyl]-N-[(2R)-1-[2-(4-methoxyphenyl)ethyl]pyrrolidin-2-yl]methyl)-N'-phenylurea	655.8		2.4	25
TPI 1509-5	N-[(1S)-1-[2-(1-adamantyl)ethyl]pyrrolidin-2-yl]methyl)-N-[(1S)-2-[(anilinocarbonyl)amino]-1-(2-naphthylmethyl)ethyl]-N'-phenylurea	683.9		2.5	25
TPI 1509-6	N-[(1S)-2-[(anilinocarbonyl)amino]-1-(2-naphthylmethyl)ethyl]-N-[(2R)-1-[4-cyclohexylbutyl]pyrrolidin-3-yl]methyl)-N'-phenylurea	659.3		2.0	12.5
TPI 1509-7	N-[(1R)-2-[(anilinocarbonyl)amino]-1-(cyclohexylmethyl)ethyl]-N-[(2R)-1-[2-(4-methoxyphenyl)ethyl]pyrrolidin-2-yl]methyl)-N'-phenylurea	611.3		2.4	25

FIGURE 34

Title: METHODS AND COMPOSITIONS FOR...

Inventors: Reed et al.

Filed: Herewith

Docket No.: 66821-058

88/123

10.5	Name	MW	Structure	IC ₅₀ 25 ug/ml	lowest ug/ml
TPI 1509-8	N-((1R)-1-[2-(1-adamantyl)ethyl]pyrrolidin-2-yl)methyl-N-((1R)-2-[(anilinocarbonyl)amino]-1-(cyclohexylmethyl)ethyl)-N'-phenylurea	539.9		2.2	25
TPI 1509-9	N-((1R)-2-[(anilinocarbonyl)amino]-1-(cyclohexylmethyl)ethyl)-N-((2S)-1-(4-cyclohexylbutyl)pyrrolidin-2-yl)methyl-N'-phenylurea	615.9		2.2	25

Relative caspase-3* activity in the XIAP de repression assay was calculated as the ratio of the Vmax in the presence of each compound divided by the Vmax of the controls having caspase-3 and XIAP. [lowest] ug/ml **: lowest concentration in which the relative caspase 3 activity was 1.8.

FIGURE 34 (cont.)

Title: METHODS AND COMPOSITIONS FOR...

Inventors: Reed et al.

Filed: Herewith

Docket No.: 66821-058

89/123

133



4.26 3 8 2

TPI1509-7 Parent compound
D-Cyclohexylalanine, D-Proline

Lipinski Alerts: MW>500, MLogP > 4.15, HBD>5, HBA>10

Structure	MW	Modification	R group	Yield (mg)	MLogP	Hydrogen Bond Donors	Hydrogen Bond Acceptors	Lipinski Alerts
6 L-cyclohexylalanine analog	611.38	Stereochemistry	R1	54.3	4.26	3	8	2
7 L-Proline,L-cyclohexylalanine analog	611.38	Stereochemistry	R1 and R2	64.4	4.26	3	8	2
8 Split parent compound-Left side	353.21	Removal of R1 and associated urea	R1	14.8	2.63	2	5	0
9 Split parent compound-Right side	394.24	Removal of R2 and R3	R2 and R3	32	3.02	4	6	0
10 Remove R3	477.31	Removal of R3	R3	5.8	3.29	4	7	0
11 Remove R3-Acetyl substitution (ethyl)	505.3	Replacement of R3 with ethyl	R3	51.1	3.68	3	7	1
12 Remove R2-Glycine substitution	585.37	Removal of R2	R2	56.1	3.90	3	8	1
13 Remove R2-(D-Alanine) substitution	599.38	Replacement of pyrrolidine with N-methylalanine	R2	60.2	4.08	3	8	1
14 Remove urea 2-methyl substitution	506.36	Removal of N-urea	Urea	48.7	3.89	2	6	1
15 Remove R1-Glycine substitution	515.2	Removal of R1	R1	51.2	2.97	3	8	1
16 Remove R1-(D-Alanine) substitution	529.31	Replacement of R1 with methyl	R1	51.5	3.16	3	8	1
17 Remove urea 1-methyl substitution	506.36	Removal of N-urea	Urea	10.3	3.89	2	6	1
18 Remove urea-benzoyl substitution	581.36	Replacement of phenylurea with phenylacetyl	Urea	15.2	4.95	1	6	2
19 Remove urea-acetyl	457.33	Replacement of phenylurea with acetyl	Urea	18.8	3.01	1	6	0

FIGURE 35A

Title: METHODS AND COMPOSITIONS FOR...

Inventors: Reed et al.

Filed: Herewith

Docket No.: 66821-058

90/123

20		515.38	Replacement of phenylurea with ethylurea	Urea	53	2.71	3	8	1
21		639.41	Replacement of phenylurea with p-methylphenylurea	Urea	67.7	4.61	3	8	2
22		647.36	Replacement of phenylurea with p-fluorophenylurea	Urea	72.2	4.70	3	8	2
23		701.35	Replacement of phenylurea with p-nitrophenylurea	Urea	66.4	4.39	3	14	3

FIGURE 35A (cont.)

SAR of active poly-phenylurea (TPI 1509-7)

TPI 1540-	Structure	MW	Modification	Caspase 3-XIAP downregulation*			TPINS IC-50-MTT uM	Annexin-V Junkatt IC-50 uM
				R group	100 ug/ml	25 ug/ml		
TPI 1509-7		611.82	Native-R2=D-proline		2.4	1.7	36.0	++
TPI 1507-21 30 (TPI 1396-34)		611.82	R2=L-Proline		2.2	1.6	57.2	++
							14.7	>163
							N.T	
6		611.38	Stereochemistry	R1	2.2	1.8	39.3	++
							9.8	74.7
							N.T	
15		515.2	Removal of R1	R1	2	1.4	97.0	++
							11.5	15.5
							6.3	
16		529.31	Replacement of R1 with methyl	R1	2	1.3	102.0	++
							15.4	18.4
							>30	
8		353.21	Removal of R1 and associated urea	R1	1.2	0.9	>283	-
							247.0	259.3
							N.T	
7		611.38	Stereochemistry	R1 and R2	2.3	1.7	40.9	++
							53.5	155.1
							N.T	
12		585.37	Removal of R2	R2	2.2	1.6	54.7	++
							43.9	>171
							7.1	
13		599.38	Replacement of pyrrolidine with N- methylalanine	R2	2.3	1.7	45.0	++
							15.8	>167
							4.9	
9		394.24	Removal of R2 and R3	R2 and R3	1.1	0.9	>254	-
							254	142.3
							N.T	

FIGURE 35B

Title: METHODS AND COMPOSITIONS FOR...

Inventors: Reed et al.

Filed: Herewith

Docket No.: 66821-058

92/123

TPI 1540-	Structure	MW	Modification	R group	Ratio**		IC-50 (μM) Summ activity	Junkatt MCF-7	Junkatt IC-50 μM
					100 μg/ml	25 μg/ml			
10		477.31	Removal of R3	R3	1.5	0.9	>210	—	128.8 150.0
11		505.3	Replacement of R3 with ethyl	R3	2.2	1.7	49.5	++	16.0 25.7 7.6
	Remove R3 Acetyl substitution (ethyl)								
14		506.36	Removal of N-urea	Urea	2	1.8	43.4	++	19.2 21.4 7.3
	Remove urea 2-methyl substitution								
17		506.36	Removal of N'-urea	Urea	1.7	1.4	175.8	+	16.0 10.0
	Remove urea 4-phenyl substitution								
18		581.36	Replacement of phenylurea with phenylacetyl	Urea	1.8	1.2	154.8	+	38.9 24.5
	Remove urea benzene substitution								
19		457.33	Replacement of phenylurea with acetyl	Urea	1.2	0.9	218.7	—	127.9 87.4
	Remove urea acetyl								
20		515.38	Replacement of phenylurea with ethylurea	Urea	1.6	1	194.0	—	92.8 >194 >30
	Urea substitution-ethyl isocyanate								
21		639.41	Replacement of phenylurea with p-methylphenylurea	Urea	2.3	1.7	42.2	++	32.1 >156 5.4
	Urea substitution-4-methylbenzyl isocyanate								
22		647.36	Replacement of phenylurea with p-fluorophenylurea	Urea	1.1	1.5	55.6	++	14.5 102.0 3.9
	Urea substitution-4-nitrophenyl isocyanate								
23		701.35	Replacement of phenylurea with p-nitrophenylurea	Urea	1.6	1.2	>143	+	74.0 117.2 N.T.
	Urea substitution-4-nitrophenyl isocyanate								

Caspase-XIAP derepression assay*: crude compounds/080603

Ratio** = Vmax compound-C3+XIAP/Vmax C3+XIAP

++: As active as native or not more than 20 % decrease

+: less active, ~30 % reduction

-:No activity at 100 μg/ml

MTT data ***-activity for crude and pur compounds, pure ones are: 11,12,13,14,15,16,20,21,22
11,12,13,14,15,16,20,21,22

FIGURE 35B (cont.)

TPI1332	Structure	MW
1		613.74
2		642.16
3		657.77
4		657.77
5		749.61
6		613.74
7		642.16

FIGURE 36A

TPI1332	Structure	MW
8		657.77
9		657.77
10		749.61
11		624.76
12		653.18
13		668.80
14		668.80

FIGURE 36A (cont.)

TPI1332	Structure	MW
15		760.63
16		728.88
17		757.29
18		772.91
19		772.91
20		864.74
21		728.88

FIGURE 36A (cont.)

TPI1332	Structure	MW
22		757.29
23		772.91
24		772.91
25		864.74
26		739.90
27		768.32
28		783.93

FIGURE 36A (cont.)

TPI1332	Structure	MW
29		783.93
30		875.77
31		695.89
32		724.31
33		739.92
34		739.92
35		831.76

FIGURE 36A (cont.)








TPI1332	Structure	MW
36		695.89
37		724.31
38		739.92
39		739.92
40		831.76
41		706.91
42		735.33

FIGURE 36A (cont.)








TPI1332	Structure	MW
43		750.94
44		750.94
45		842.78
46		646.75
47		613.74
48		607.71
49		574.70

FIGURE 36A (cont.)








TPI1332	Structure	MW
50		613.76
51		580.75
52		574.73
53		541.71
54		613.74
55		580.73
56		574.70

FIGURE 36A (cont.)

TPI1332	Structure	MW
57		541.69
58		733.61
59		700.60
60		694.57
61		661.56
62		772.91
63		739.90

FIGURE 36A (cont.)








TPI1332	Structure	MW
64		733.87
65		700.86
66		739.92
67		706.91
68		700.88
69		667.87
70		739.90

FIGURE 36A (cont.)








TPI1332	Structure	MW
71		706.89
72		700.86
73		667.85
74		859.77
75		826.76
76		820.73
77		787.72

FIGURE 36A (cont.)

TPI1332	Structure	MW
78		864.74
79		831.73
80		825.71
81		792.70
82		831.76
83		798.74
84		792.72

FIGURE 36A (cont.)








TPI1332	Structure	MW
85		759.71
86		831.73
87		798.72
88		792.70
89		759.69
90		951.60
91		918.59

FIGURE 36A (cont.)

TPI1332	Structure	MW
92		912.57
93		879.56

FIGURE 36A (cont.)

XIAP inhibitors-Tetrapeptides












Competition assay Smac-7 mer/XIAP-BIR2 IC-50 μ M					
		MW	AVG	STD	
TPI 1453-1 (TPI 792-33)	 Exact Mass: 898.32793 [L-ThiAla]-[L-Nal]-[p-CIPhe]-[L-LysaFmoc]	900.9	48.4	10	
TPI 1453-6 (TPI 792-35)	 [L-ThiAla]-[L-Nal]-[p-CIPhe]-[L-LysaFmoc]	1068.8	12.6	4.8	
TPI 1332-4	 [L-Ala]-[L-Trp(CHO)]-[L-Trp(CHO)]-[D-Nal]	657.8	3.9	3.6	
TPI 1332-24	 [D-Trp(CHO)]-[D-Trp(CHO)]-[L-Trp(CHO)]-[D-Nal]	772.9	5.0	4.8	
TPI 1332-41	 [L-Cha]-[D-Nal]-[L-Trp(CHO)]-[L-ThiAla]	706.9	48.5	0.9	
TPI 1332-69	 [L-Nal]-[D-Cha]-[D-Phe]-[L-ThiAla]	667.9	>150		
TPI 1332-76	 [L-Nal]-[D-pIPhe]-[D-Phe]-[D-Trp(CHO)]	820.7	36.2	20.9	
TPI 1332-77	 [L-Nal]-[D-pIPhe]-[D-Phe]-[L-ThiAla]	787.7	66.7	32.4	
Smac 7-mer	 AVPIAQK-NH ₂	724.4	18.8	4	
Smac 4-mer	 AVPI-NH ₂	397.2	30.3		

FIGURE 36B






FIGURE 36D




FIGURE 36E




FIGURE 36F

TPI 1495-1 is the same as TPI 1332-69

TPI 1495-	Competitive binding assay							
	XIAP-FL				derepression		IC50 uM	STD
	MW							
1	H-	L-Nal	D-Cha	D-Phe	L-ThiaAla	-NH2	667.3	>150
2	H-	G	D-Cha	D-Phe	L-ThiaAla	-NH2	527.3	>190
3	H-	L-Nal	G	D-Phe	L-ThiaAla	-NH2	571.2	>189.7
4	H-	L-Nal	D-Cha	G	L-ThiaAla	-NH2	577.3	>175.1
5	H-	L-Nal	D-Cha	D-Phe	G	-NH2	571.3	>173.2
6	H-	A	D-Cha	D-Phe	L-ThiaAla	-NH2	541.3	67.4
7	H-	L-Nal	A	D-Phe	L-ThiaAla	-NH2	585.2	>184.8
8	H-	L-Nal	D-Cha	A	L-ThiaAla	-NH2	591.3	>170.9
9	H-	L-Nal	D-Cha	D-Phe	A	-NH2	585.3	>169.1
							149.0	>170
TPI 1237-Smac 7 mer						724.4		18.8
TPI 1425-Smac 4 mer						397.2		4.0
							30.3	

FIGURE 37




FIGURE 38

A. E:T=10
B. E:T=5




FIGURE 39

Title: METHODS AND COMPOSITIONS FOR...


Inventors: Reed et al.

Filed: Herewith

Docket No.: 66821-058

115/123

A.



cleaved
caspase-3

actin

FIGURE 40




FIGURE 40 (cont.)




FIGURE 41

Title: METHODS AND COMPOSITIONS FOR...

Inventors: Reed et al.

Filed: Herewith

Docket No.: 66821-058

118/123




FIGURE 42

FIGURE 43

TPI 1554 Bi tnylated Tetrapeptides

TPI 1554 #	Non-Biotin Synthesis #	Sequence						MW
		1	2	3	4	5	6	
TPI 1554-1	TPI 792-33, TPI 1408-3, TPI 1453-1	H- L-Thiala	L-Nal	pCl-L-f	Lys eFm	Biotin	Biotin	Kboc/fmoc -NH2 1365.6
TPI 1554-2	TPI 792-35, TPI 1453-6	H- L-Thiala	L-Nal	dLysFm	Lys eFm	Biotin	Biotin	Kboc/fmoc -NH2 1534.7
TPI 1554-3	TPI 1332-4	H- Boc-L-Ala	Boc-L-Trp(CHO)	Boc-D-Nal	Boc-L-Trp(CHO)	Biotin	Biotin	Kboc/fmoc -NH2 1124.5
TPI 1554-4	TPI 1332-41	H- Boc-L-Cha	Boc-D-Nal	Boc-L-Trp(CHO)	Boc-L-Trp(CHO)	Biotin	Biotin	Kboc/fmoc -NH2 1173.6
TPI 1554-5	TPI 1332-69	H- Boc-L-Nal	Boc-D-Cha	Boc-D-Phe	Boc-L-ThiaAla	Biotin	Biotin	Kboc/fmoc -NH2 1134.6
TPI 1554-6	TPI 1332-77	H- Boc-L-Nal	Boc-D-piPhe	Boc-D-Phe	Boc-L-ThiaAla	Biotin	Biotin	Kboc/fmoc -NH2 1254.4
TPI 1554-7	TPI 1495-19	H- L-Nal	pCl-L-f	Lys eFm	Biotin	Biotin	Biotin	Kboc/fmoc -NH2 1212.6
TPI 1554-8	TPI 1495-20	H- L-Thiala	L-Nal	dLysFm	(Biotin	(Biotin	(Biotin	Kboc/fmoc -NH2 1184.6

FIGURE 44

Binding of XIAP-BIR2-GST and BID-GST to Biotinylated Tetrapeptides




FIGURE 45

Three Concentrations of XIAP-BIR2-GST Binding to Biotinylated Peptides





FIGURE 46

Composition for the Binding of Biotinylated Tetrapeptides with XIAP-BIR2-GST

A.

Biotinylated TPI 1332-69
TPI 1554 #5 [2 ug/mL]

B.


Biotinylated TPI 1332-4
TPI 1554 #3 [1 ug/mL]

FIGURE 47